Cumulative Author Bibliography and Subject Index

to

Northwest Science

Volumes 47-56

(1973-1982)

Compiled by Caroline Hooper

M

L

7

6

73

32

11

Introduction

This guide to *Northwest Science* 1973-1982 (volumes 47-56) is in two parts: an author bibliography and a subject index.

The author bibliography provides an alphabetical list of all *Northwest Science* authors. The first-author entries include co-authors, article title, and volume and page references, while co-author entries list only first author and page references. The format of the first-author entries follows that of references cited in *Northwest Science*.

The subject index may be used independently as it contains both author and page references. Cross-reference to the author bibliography is necessary only to supply article titles.

Common names for plants and animals are usually chosen as indexing terms although Latin names may be used where no common name exists. Latin plant family name entries act as guides to entries for any individual family members.

Geographical place names may have specific index entries or they may be included in the composite state entry, which also lists all individual entries for that state.

Caroline Hooper
Pullman

PART I

AUTHOR BIBLIOGRAPHY

AUTHOR BIBLIOGRAPHY

Adams, D. H. 1974. Identification of clones of *Armillaria mellea* in young-growth ponderosa pine. 48: 21-28.

Aller, A. R., M. A. Fosberg, M. C. LaZelle, and A. L. Falen. 1981. Plant communities and soils of north slopes in the Palouse region of eastern Washington and northern Idaho. 55: 248-262.

Amaral, M. 1978. Black-tailed deer (*Odocoileus hemonius columbianus*) and forest reproduction: Blake Island Marine State Park, Washington. 52: 233-235.

Ames, W. E., J. R. Hughes, and G. F. Slusser. 1978. Upper lethal water temperature levels for English sole (*Parophrys vetulus*) and rock sole (*Lepidopsetta bilineata*) subjected to gradual thermal increases. 52: 285-291.

Andersen, D. L. *see* Newell, R. L. *et al.* 1978. 52: 119-126.

Anderson, R. S. 1981. Laboratory studies of *Chaoborus* predation on zooplankton. 55: 113-123.

Anderson, S. H. 1976. Comparative food habits of Oregon nuthatches. 50: 213-221.

Antos, J. A., and J. R. Habeck. 1981. Successional development in *Abies grandis* (Dougl.) Forbes forests in the Swan Valley, western Montana. 55: 26-39.

Babcock, R. S., and N. I. Kolby. 1973. Distribution of mercury in sediments of the Nooksack River drainage. 47: 180-184.

Bacon, M. 1981. Chigger infestation in humans in Washington, involving *Euschoengastia numerosa* (Acari: Trombiculidae). 55: 304

———. 1982. A study of surface waters and sediments in southern Spokane County, Washington, for the presence of *Yersinia enterocolitica*. 56: 136-137.

Baker, A. S. , and W. P. Mortensen. 1973. The effect of leaching the fertilizer band on nutrient uptake and growth of sweet corn. 47: 61-65.

Barkworth, M. E. 1977a. Intraspecific variation in *Brodiaea douglassii* Watson, (Liliaceae). 51: 79-90.

———. 1977b. The taxonomic status of *Brodiaea howellii* Watson, (Liliaceae). 51: 139-148.

Barnett, J., and L. H. Fisk. 1980. Palynology and paleoecology of a sedimentary interbed in the Yakima basalt (Miocene), Palouse Falls, Washington. 54: 259-278.

Barraclough, S. A. *see* Schneider, M. J. *et al.* 1981. 55: 62-69.

Basham, L., and L. Gilbreath. 1978. Unusual occurrence of pink salmon (*Oncorhynchus gorbuscha*) in the Snake River of southeastern Washington. 52: 32-34.

Batie, R. E. 1982a. Population structure of the crab *Hemigrapsus oregonensis* (Brachyura, Grapsidae) in Yaquina Bay estuary, Oregon: I. reproductive cycle. 56: 20-26.

———. 1982b. Population structure of the crab *Hemigrapsus oregonensis* (Brachyura, Grapsidae) in Yaquina Bay estuary, Oregon: II. vertical distribution, biomass and production. 56: 241-249.

Bauer, S. B. *see* Rabe, F. W., and S. B. Bauer. 1977. 51: 183-197.

Bauman , L. R., and R. A. Soltero. 1978. Limnological investigation of eutrophic Medical Lake, Washington. 52: 127-136.

Bayer, R. D. 1980a. Size, seasonality, and sex ratios of the bay pipefish (*Syngnathus leptorhynchus*) in Oregon. 54: 161-167.

———. 1980b. Size and age of the tube-snout (*Aulorhynchus flavidus*) in the Yaquina estuary, Oregon. 54: 306-310.

———. 1981. Shallow-water intertidal ichthyofauna of the Yaquina estuary, Oregon. 55: 182-193.

Beaver, C. K. *see* Casteel, R. W., and C. K. Beaver. 1978. 52: 337-342.

Becker, C. D. *see* Montgomery, J. C. *et al.* 1980. 54: 296-305.

Bell, M. A. M. *see* Nicholson, A. C., and M. A. M. Bell. 1981. 55: 235-244.

Belsky, J. 1975. An oil spill in an alpine habitat. 49: 141-146.

Bentley, W. W., and E. M. Dawley. 1981. Effects of supersaturated dissolved atmospheric gases on northern squawfish, *Ptychocheilus oregonensis*. 55: 50-61.

Bernard, D. R., and E. K. Israelsen. 1982. Inter- and intrastream migration of cutthroat trout (*Salmo clarki*) in Spawn Creek, a tributary of the Logan River, Utah. 56: 148-158.

Beschta, R. L. 1979. Debris removal and its effects on sedimentation in an Oregon Coast Range stream. 53: 71-77.

Bethlahmy, N. 1974. Water supply as affected by micro- and macro-watershed management decisions on forest lands. 48: 1-8.

———. 1975. A Colorado episode: beetle epidemic, ghost forests, more streamflow. 49: 95-105.

———. 1976. Exposure, clearcutting, and burning affect soil moisture levels. 50: 140-144.

Bisson, P. A. 1977. Occurrence of the shorthead sculpin, *Cottus confusus*, in a headwater tributary of Deschutes River, Washington. 51: 43-45.

Black, H. C. *see* Borrecco, J. E. *et al.* 1979. 53: 97-106.

———. *see* Hooven, E. F., and H. C. Black. 1976. 50: 189-208.

———. *see* Hooven, E. F. *et al.* 1979. 53: 79-81.

———. *see* Lovejoy, B. P. *et al.* 1978. 52: 323-328.

———. *see* Lovejoy, B. P., and H. C. Black. 1979. 53: 82-89.

Blahm, T. H., and G. R. Snyder. 1975. Effect of increased water temperatures on survival of adult threespine stickleback and juvenile yellow perch in the Columbia River. 49: 267-270.

Bond, C. E. *see* Kan, T. T., and C. E. Bond. 1981. 55: 70-74.

Borrecco, J. E., H. C. Black, and E. F. Hooven. 1979. Response of small mammals to herbicide-induced habitat changes. 53: 97-106.

———. *see* Neal, F. D., and J. E. Borrecco. 1981. 55: 79-86.

Boss, T. R. *see* Taylor, R. J., and T. R. Boss. 1975. 49: 49-57.

Braham, H. W. *see* Everitt, R. D., and H. W. Braham. 1980. 54: 281-288.

Bressler, J. *see* Watkinson, A. J., and J. Bressler. 1979. 53: 1-4.

Brotherson, J. D. *see* Wilcox, R. B. *et al.* 1981. 55: 194-201.

Brown, H. A. 1975. Reproduction and development of the red-legged frog, *Rana aurora*, in northwestern Washington. 49: 241-252.

Browning, M. R. 1974. Notes on the hypothetical list of Oregon birds. 48: 166-171.

———. 1979. Type specimens of birds collected in Oregon. 53: 132-140.

Bryant, V. M., Jr., *see* Mack, R. N., and V. M. Bryant, Jr. 1974. 48: 183-194.

Burg, M. E., D. R. Tripp, and E. S. Rosenberg. 1980. Plant associations and primary productivity of the Nisqually salt marsh on southern Puget Sound, Washington. 54: 222-236.

Bury, R. B. 1973. The Cascade frog, *Rana cascadae*, in the North Coast Range of California. 47: 228-229.

Buss, I. O. *see* Lewke, R. E., and I. O. Buss. 1977. 51: 219-270.

Caldwell, M. M. *see* Fareed, M., and M. M. Caldwell. 1975. 49: 17-23.

Campbell, D. S., and D. J. Johnson. 1982. Bouguer gravity study of Enumclaw/Pinnacle Peak, Washington. 56: 90-100.

Campbell, N. 1977. Geohydrology of the Lost Creek cave system, Park County, Montana. 51: 1-12.

Cannamela, D. A. *see* Gasser, K. W. *et al.* 1981. 55: 174-181.

Casey, D. E., and T. W. Clark. 1978. An analysis of the journal of literature on Wyoming mammals. 52: 272-275.

———. *see* Clark, T. W. *et al.* 1980. 54: 55-67.

Casteel, R. W. 1973. The scales of the native freshwater fish families of Washington. 47: 230-238.

———. 1974. Use of Pacific salmon otoliths for estimating fish size, with a note on the size of late Pleistocene and Pliocene salmonids. 48: 175-179.

———, and C. K. Beaver. 1978. Inferred Holocene temperature changes in the North Coast Ranges of California. 52: 337-342.

Ching, K. K. *see* Scurlock, J. H. *et al.* 1982. 56: 101-107.

Christy, E. J. *see* Heidel, B. *et al.* 1982. 56: 108-120.

Clark, D. E. *see* Fitzner, R. E. *et al.* 1978. 52: 104-107.

Clark, T. W. 1973. Distribution and reproduction of shrews in Grand Teton National Park, Wyoming. 47: 128-131.

———. 1975a. Body measurements of western jumping mice from northwestern Wyoming. 49: 12-13.

———. 1975b. Ecological notes on deer mice in Grand Teton National Park, Wyoming. 49: 14-16.

———. 1980. A listing of reports on black-footed ferrets in Wyoming (1851-1977). 54: 47-54.

———, and C. Russell. 1977. Agonistic behavior in Uinta ground squirrels. 51: 36-42.

———, V. A. Saab, and D. Casey. 1980. A partial bibliography of Wyoming mammals. 54: 55-67.

———. *see* Casey, D. E., and T. W. Clark. 1978. 52: 272-275.

———. *see* Hoak, J. H. *et al.* 1981. 55: 245-247.

———. *see* Hoak, J. H. *et al.* 1982. 56: 159-161.

Cline, J. F., and W. H. Rickard. 1974. Isotope uptake from halophyte-affected soil. 48: 235-238.

———, D. W. Uresk, and W. H. Rickard. 1977. Plants and soil of a sagebrush community on the Hanford Reservation. 51: 60-70.

———. *see* Rickard, W. H., and J. F. Cline. 1980. 54: 216-221.

———. *see* Rickard, W. H. *et al.* 1973a. 47: 44-49.

———. *see* Rickard, W. H. *et al.* 1973b. 47: 213-217.

———. *see* Rickard, W. H. *et al.* 1974. 48: 96-101.

Clothier, G. W. *see* Nussbaum, R. A., and G. W. Clothier. 1973. 47: 218-227.

Coblentz, B. E. 1979. Estimation of fat from femur marrow of Oregon black-tailed deer. 53: 221-223.

Collazo, J. A. 1981. Some aspects of the breeding ecology of the great blue heron at Heyburn State Park. 55: 293-297.

Collins, W. B., and P. J. Urness. 1982. Mule deer and elk responses to horsefly attacks. 56: 299-302.

Connors , T. J. *see* Schneider, M. J. *et al.* 1981. 55: 62-69.

Cooke, W. B. 1977a. Fourth supplement to the flora of Mount Shasta. 51: 71-78.

———. 1977b. Fungi in streams, lakes, adjacent soils, and sewage treatment systems in the Flathead River Basin, Montana. 51: 172-182.

Costain, D. B., and B. J. Verts. 1982. Age determination and age-specific reproduction in Belding's ground squirrels. 56: 230-235.

Crawford, R. L. 1979. Autumn populations of spiders and other arthropods in an urban landfill. 53: 51-53.

Crosby, J. W., III *see* Ichimura, V. T., and J. W. Crosby, III. 1981. 55: 10-22.

Cross, S. P. *see* Fisher, J. L., and S. P. Cross. 1979. 53: 90-93.

———. *see* Whitaker, J. O., Jr. *et al.* 1981a. 55: 75-77.

———. *see* Whitaker, J. O., Jr. *et al.* 1981b. 55: 281-292.

Cushing, C. E., Jr. 1979. Trace elements in a Columbia River food web. 53: 118-125.

Daggett, R. F. 1981. Abundance of fish larvae and eggs in the nearshore area of the Strait of Juan de Fuca, Washington. 55: 1-9.

Daneš, Z. F. *see* Matthees, R. A., and Z. F. Daneš. 1974. 48: 205-210.

Daubenmire. R. 1975a. Ecology of *Artemisia tridentata* subsp. *tridentata* in the state of Washington. 49: 24-35.

———. 1975b. Plant succession on abandoned fields, and fire influences, in a steppe area in southeastern Washington. 49: 36-48.

———. 1975c. An analysis of structural and functional characters along a steppe-forest catena. 49: 122-140.

———. 1977. A bibliography on vegetation of the State of Washington: supplement I. 51: 111-113.

———. 1978. Annual variation in the flowering of *Agropyron spicatum* near Clarkston, Washington. 52: 153-155.

———. 1980. Mountain topography and vegetation patterns. 54: 146-152.

———. 1981. Subalpine parks asssociated with snow transfer in the mountains of northern Idaho and eastern Washington. 55: 124-135.

———. 1982. The distribution of *Artemisia rigida* in Washington: a challenge to ecology and geology. 56: 162-164.

Dauble, D. D., R. H. Gray, R. W. Hanf, and T. M. Poston. 1978. Occurrence of a wild albino chinook salmon (*Oncorhynchus tshawytscha*) in the Columbia River. 52: 108-109.

———, R. H. Gray, and T. L. Page. 1980. Importance of insects and zooplankton in the diet of 0-age chinook salmon (*Oncorhynchus tshawytscha*) in the central Columbia River. 54: 253-258.

———. *see* Gray, R. H., and D. D. Dauble. 1977. 51: 208-215.

Davenport, D. R., and J. L. Weaver. 1982. Wintering bald eagles in Jackson Hole, Wyoming. 56: 79-82.

Davis, M. B. 1973. Pollen evidence of changing land use around the shores of Lake Washington. 47: 133-148.

Davis, O. K., D. A. Kolva, and P. J. Mehringer, Jr. 1977. Pollen analysis of Wildcat Lake, Whitman County, Washington: the last 1000 years. 51: 13-30.

Dawley, E. M. *see* Bentley, W. W., and E. M. Dawley. 1981. 55: 50-61.

DeByle, N. V. 1973. Broadcast burning of logging residues and the water repellency of soils. 47: 77-87.

Deitschman, G. H. *see* Marshall, J. A., and G. H. Deitschman. 1976. 50: 231-235.

del Moral, R., and A. F. Watson. 1978. Vegetation on the Stikine Flats, southeast Alaska. 52: 137-150.

Dethier, D. P. *see* Heller, P. L., and D. P. Dethier. 1981. 55: 145-155.

Dickinson, J. T. 1974. Transportation and energy conservation in the Pacific Northwest. 48: 145-165.

Diller, L. V. *see* Nussbaum, R. A., and L. V. Diller. 1976. 50: 243-260.

Douglas, G. W., D. B. Naas, and R. W. Naas. 1973. New plant records and ranges for Washington. 47: 105-108.

———. *see* Taylor, R. J., and G. W. Douglas. 1978. 52: 35-50.

———. *see* Taylor, R. J. *et al.* 1973. 47: 169-179.

———. see Taylor, R. J. *et al.* 1978. 52: 220-225.

Dronen, N. O. *see* Lang, B. Z. *et al.* 1974. 48: 125-131.

Dunaway, D. J. *see* Henny, C. J. *et. al.* 1978. 52: 261-271.

Dunigan, P. F. X., Jr., W. Lei, and W. H. Rickard. 1980. Pocket mouse population response to winter precipitation and drought. 54: 289-295.

Eddleman, L. E. 1979. Germination in black greasewood (*Sarcobatus vermiculatus* (Hook). Torr.). 53: 289-294.

Edmonds, R. L. 1979. Douglas-fir tussock moth egg hatch and larval movement from egg masses in central British Columbia. 53: 283-288.

———. *see* Vogt, D. J., and R. L. Edmonds. 1982. 56: 83-89.

Edmundson, E. H., Jr. 1976. Effects of gamma radiation and temperature on growth of juvenile rainbow trout (*Salmo gairdneri*). 50: 183-188.

———. *see* Maughan, O. E. *et al.* 1980. 54: 5-8.

Elliott, C. L. 1980. Quantitative analysis of pika (*Ochotona princeps*) hay piles in central Idaho. 54: 207-209.

Emmingham, W. H., and R. H. Waring. 1973. Conifer growth under different light environments in the Siskiyou Mountains of southwestern Oregon. 47: 88-99.

Engbring, J. *see* Jarvis, R. J., and J. Engbring. 1976. 50: 222-230.

Evans, B. A. 1975. Sensitizing Sherman small-mammal live traps to improve their efficiency. 49: 160-162.

Evans, R. A. *see* Everett, R. L. *et al.* 1977. 51: 271-281.

Evenson, W. E. *see* Wilcox, R. B. *et al.* 1981. 55: 194-201.

Everett, R. L., R. O. Meewig, P. T. Tueller, and R. A. Evans. 1977. Water potential in sagebrush and shadscale communities. 51: 271-281.

Everitt, R. D., and H. W. Braham. 1980. Aerial survey of Pacific harbor seals in the southeastern Bering Sea. 54: 281-288.

Ewing, K. 1982. A comparison of treeless areas in the forested foothills of the Cascade Mountains of western Washington. 56: 180-189.

Fahnestock, G. R. *see* Pickford, S. G. *et al.* 1980. 54: 92-105.

Fairbanks, R. L. *see* Nellis C. H. *et al.* 1974a. 48: 66-71.

Falen, A. L. *see* Aller, A. R. *et al.* 1981. 55: 248-262.

Falkenhagen, E. R. 1976. Variation in foliar macronutrients of one year old sitka spruce seedlings of ten provenances. 50: 209-212. (Error noted 51: 130)

Fareed, M., and M. M. Caldwell. 1975. Phenological patterns of two alpine tundra plant populations on Niwot Ridge, Colorado. 49: 17-23.

Farris, A. E. *see* Maughan, O. E. *et. al.* 1980. 54: 5-8.

Farris, A. L. *see* Ogle, T. F., and A. L. Farris. 1973. 47: 70-74.

Faulhaber, J. *see* Orr, W. N., and J. Faulhaber. 1975. 49: 174-181.

Fay, H. A. *see* Nelson, E. E., and H. A. Fay. 1975. 49: 119-121.

Feldhamer, G. A. 1977. Double captures of four rodent species in Oregon. 51: 91-93.

Fellin, D. G. 1975. Feeding habits of *Pleocoma* larvae in coniferous forests of western Oregon. 49: 71-86.

Fickleisen, D. H. *see* Montgomery, J. C. *et al.* 1980. 54: 296-305.

Fisher, J. L., and S. P. Cross. 1979. Battery-light tracking as a technique for studying small nocturnal mammal movements. 53: 90-93.

Fisk, L. H. *see* Barnett, J., and L. H. Fisk. 1980. 54: 259-278.

Fitzner, R. E., W. H. Rickard, and D. E. Clark. 1978. Herpetological survey at the Trojan Nuclear Plant, Oregon. 52: 104-107.

———, E. T. Sipco, and R. G. Schreckhise. 1980. American coot nesting and feeding habits in southeastern Washington. 54: 244-252.

———. *see* Rickard, W. H., and R. E. Fitzner. 1978. 52: 61-66.

———. *see* Rickard, W. H. *et al.* 1982. 56: 62-76.

———. *see* Rogers, L. E., and R. E. Fitzner. 1980. 54: 202-206.

Fogel, R., and J. M. Trappe. 1978. Fungus consumption (mycophagy) by small animals. 52: 1-31.

Foreyt, K. M. *see* Foreyt, W. J., and K. M. Foreyt. 1982. 56: 14-16.

Foreyt, W. J., and K. M. Foreyt. 1982. Internal parasites of coyotes (*Canis latrans*) in Washington and Idaho. 56: 14-16.

Fosberg, M. A. *see* Aller, A. R. *et al.* 1981. 55: 248-262.

Fowler, W. B., and A. R. Tiedemann. 1980. Phenological relationships of *Spiraea betulifolia* Pall. and *Apocynum androsaemifolium* L. 54: 17-25.

———. *see* Helvey, J. D., and W. B. Fowler. 1982. 56: 27-33.

Frederick, D. J., and A. D. Partridge. 1977. Indicators of decay in the grand fir/ white fir complex in central Idaho. 51: 282-292.

French, D. H. *see* Hunn, E. S., and D. H. French. 1981. 55: 87-94.

French, J. R. J. *see* Roeper, R. A., and J. R. J. French. 1981. 55: 305-309.

Frenkel, R. E. 1974. An isolated occurrence of Alaska-cedar (*Chamaecyparis nootkatensis* (D. Don) Spach) in the Aldrich Mountains, central Oregon. 48: 29-37.

Fry, W. E. 1973. Fossil giant tortoise of genus *Geochelone* from the late Miocene-early Pliocene of north-central Oregon. 47: 239-249.

Fuller, T. K. 1981. Small mammal populations on the Kenai peninsula, Alaska. 55: 298-303.

Furniss, S. B. *see* Jarvis, R. L., and S. B. Furniss. 1978. 52: 292-302.

Gano, K. A., and W. H. Rickard. 1982. Small mamals of a bitterbrush-cheatgrass community. 56: 1-7.

Gary, H. L. 1978. The vertical distribution of needles and branchwood in thinned and unthinned 80-year-old-lodgepole pine. 52. 303-309.

Gashwiler, J. S. 1977. Reproduction of the California red-backed vole in western Oregon. 51: 56-59.

Gasperino, A. F. *see* Graham, W. G. *et al.* 1979. 53: 159-169.

Gasser, K. W., D. A. Cannamela, and D. W. Johnson. 1981. Contributions to the life history of the shorthead sculpin, *Cottus confusus*, in the Big Lost River, Idaho: age, growth, and fecundity. 55: 174-181.

Genoway, R. G. *see* Schneider, M. J. *et al.* 1981. 55: 62-69.

Gilbert, R. O. *see* Rickard, W. H. *et al.* 1973a. 47: 44-49.

———. *see* Rickard, W. H. *et al.* 1973b. 47: 213- 217.

———. *see* Rickard, W. H. *et al.* 1974. 48: 96-101.

Gilbreath, L. *see* Basham, L., and L. Gilbreath. 1978. 52: 32-34.

Gilmartin, A. J. *see* Heidel, B. *et al.* 1982. 56: 108-120.

Gleason, L. N. *see* Lang, B. Z. *et al.* 1974. 48: 125-131.

Goldin, A., and T. J. Nimlos. 1977. Vegetation patterns on limestone and acid parent materials in the Garnet Mountains of western Montana. 51: 149-160.

Gottesfeld, A. S., F. J. Swanson, and L. M. J. Gottesfeld. 1981. A Pleistocene low-elevation subalpine forest in the western Cascades, Oregon. 55: 157-167.

Gottesfeld, L. M. J. *see* Gottesfeld, A. S. *et al.* 1981. 55: 157-167.

Graham, W. G., R. A. Soltero, and A. F. Gasperino. 1979. The zooplankton dynamics of a eutrophic reservoir: Long Lake, Washington. 53: 159-169.

Gray, R. H., and D. D. Dauble. 1977. Checklist and relative abundance of fish species from the Hanford reach of the Columbia River. 51: 208-215.

———. *see* Dauble, D. D. *et al.* 1978. 52: 108-109.

———. *see* Dauble, D. D. *et al.* 1980. 54: 253-258.

Gresbrink, R. A., and D. D. Hopkins. 1982. Siphonaptera: host records from Crater Lake National Park, Oregon. 56: 176-179.

Gresens, R. L. 1982a. Early Cenozoic geology of central Washington State: I. summary of sedimentary, igneous, and tectonic events. 56: 218-229.

———. 1982b. Early Cenozoic geology of central Washington State: II. implications for plate tectonics and alternatives for the origin of the Chiwaukum graben. 56: 259-264.

Grigal, D. F. 1979. Extractable soil nutrients and permafrost under adjacent forest types in interior Alaska. 53: 43-50.

Grove, D. A. *see* Overton, C. K. *et al.* 1978. 52: 226-232.

Gustavson, C. R. *see* Nicolaus, L. K. *et al.* 1982. 56: 165-169.

Guthrie, D. 1978. Argumentation, imagery, and the original vertebrate habitat. 52: 171-178.

Haas, G. E., T. Rumfelt, and N. Wilson. 1980. Fleas (Siphonaptera) from nests and burrows of the bank swallow (*Riparia riparia*) in Alaska. 54: 210-215.

Habeck, J. R. 1978. A study of climax western redcedar (*Thuja plicata* Donn.) forest communities in the Selway-Bitterroot Wilderness, Idaho. 52: 67-76.

———. *see* Antos, J. A., and J. R. Habeck, 1981. 55: 26-39.

Halford, D. K. 1981. Repopulation and food habits of *Peromyscus maniculatus* on a burned sagebrush desert in southeastern Idaho. 55: 44-49.

Hall, L. S. 1977. Feral rabbits on San Juan Island, Washington. 51: 293-297.

Hammer, E. W., and C. Maser. 1973. Distribution of the dusky-footed woodrat, *Neotoma fuscipes* Baird, in Klamath and Lake Counties, Oregon. 47: 123-127.

Hanf, R. W. *see* Dauble, D. D. *et al.* 1978. 52: 108-109.

Hanley, T. A. 1982. Cervid activity patterns in relation to foraging constraints: western Washington. 56: 208-217.

Hansen, A. J. *see* Stalmaster, M. V. *et al.* 1979. 53: 126-131.

Hanson, W. C. *see* Rickard, W. H. *et al.* 1982. 56: 62-76.

Hanzel, D. A. *see* Newell, R. L. *et al.* 1978. 52: 119-126.

Harniss, R. O. and N. E. West. 1973. Vegetation patterns of the National Reactor Testing Station, southeastern Idaho. 47: 30-43.

———. *see* McDonough, W. T., and R. O. Harniss. 1974. 48: 17-20.

Harris, M. J. 1976. Herpetofauna of Yakawawa Canyon, Washington. 50: 114-121.

———. 1979. Planktonic microcrustacea of the Lower Snake River drainage. 53: 63-70.

Hatch, C. R. *see* Mitchell, J. E., and C. R. Hatch. 1981. 55: 168-173.

Hawk, G. M. 1979. Vegetation mapping and community description of a small western Cascade watershed. 53: 200-212.

———, and D. B. Zobel. 1974. Forest succession on alluvial landforms of the McKenzie River Valley, Oregon. 48: 245-265.

Hedlund, J. D. 1975. Tagging mule deer fawns in south-central Washington, 1969-1974. 49: 153-157.

———, D. T. McCullugh, and W. H. Rickard. 1975. Mouse populations on knob and kettle topography in south-central Washington. 49: 253-260.

———, and W. H. Rickard. 1976. Small mammal populations near the Trojan Nuclear Power Station, Oregon. 50: 172-177.

———, and L. E. Rogers. 1980. Great Basin pocket mice (*Perognathus parvus*) in the vicinity of radioactive waste management areas. 54: 153-159.

———. *see* Rogers, L. E., and J. D. Hedlund. 1980. 54: 183-186.

Heidel, B., E. J. Christy, and A. J. Gilmartin. 1982. Numerical phenetic analysis of variation in populations of *Poa secunda* Presl. and *Bromus japonicus* Thunb. (Poaceae). 56: 108-120.

Heller, P. L., and D. P. Dethier. 1981. Surficial and environmental geology of the lower Baker Valley, Skagit County, Washington. 55: 145-155.

Helvey, J. D., and W. B. Fowler. 1982. Precipitation variability in the Columbia Basin of Washington. 56: 27-33. (Error noted 56: 257)

Henderson, J. A. 1978. Plant succession on the *Alnus rubra/Rubus spectabilis* habitat type in western Oregon. 52: 156-167.

Henny, C. J., D. J. Dunaway, R. D. Mallette, and J. R. Koplin. 1978. Osprey distribution, abundance, and status in western North America: I. the northern California population. 52: 261-271.

———. C. Maser, J. O. Whitaker, Jr., and T. E. Kaiser. 1982. Organochlorine residues in bats after a forest spraying with DDT. 56: 329-337.

Heusser, C. J. 1973. Modern pollen spectra from Mount Rainier, Washington. 47: 1-8.

Hickey, W. O. *see* Leege, T. A., and W. O. Hickey, 1975. 49: 58-64.

Hickman, J. C. 1976. Non-forest vegetation of the central Western Cascade Mountains of Oregon. 50: 145-155.

Hinds, W. T. *see* Rotenberry, J. T. *et al.* 1976. 50: 122-130.

Hoak, J. H., T. W. Clark, and B. Wood. 1981. Grizzly bear distribution, Grand Teton National Park area, Wyoming. 55: 245-247.

———, J. L. Weaver, and T. W. Clark. 1982. Wolverines in western Wyoming. 56: 159-161.

Hoffman, T . E. *see* Nicolaus, L. K. *et al.* 1982. 56: 165-169.

Hoffnagle, J. R. 1980. Estimates of vascular plant primary production in west coast saltmarsh-estuary ecosystem. 54: 68-79.

Holton, R. L. *see* Laroche, W. A., and R. L. Holton. 1979. 53: 94-96.

Hooven, E. F. 1973. Response of the Oregon creeping vole to the clearcutting of a douglas-fir forest. 47: 256-264.

———, and H. C. Black. 1976. Effects of some clearcutting practices on small-mammal populations in western Oregon. 50: 189-208.

———, H. C. Black, and J. C. Lowrie. 1979. Disturbance of small mammal live traps by spotted skunks. 53: 79-81.

———, R. F. Hoyer, and R. M. Storm. 1975. Notes on the vagrant shrew, *Sorex vagrans*, in the Willamette Valley of western Oregon. 49: 163-173.

———. *see* Borrecco, J. E. *et al.* 1979. 53: 97-106.

———. *see* Lovejoy, B. P. *et al.* 1978. 52: 323-328.

———. *see* Maser, C., and E. F. Hooven. 1974. 48: 81-95.

Hopkins, D. D. 1980. Ectoparasites of the Virginia opossum (*Didelphis virginiana*) in an urban environment. 54: 199-201.

———. *see* Gresbrink, R. A., and D. D. Hopkins. 1982. 56: 176-179.

Horpestad, A. A. *see* Soltero, R. A. *et al.* 1974. 48: 107-124.

Horton, H. F. *see* Krygier, E. E., and H. F. Horton. 1975. 49: 216-240.

Hoyer, R. F. *see* Hooven, E. F. *et al.* 1975. 49: 163-173.

———. *see* Nussbaum, R. A., and R. F. Hoyer. 1974. 48: 219-229.

Hsieh,, Y. P. *see* Klages, M. G. *et al.* 1973. 47: 203-212.

Hudson, R. J. 1977. Habitat utilization and resource partitioning by wild ruminants: multivariate analysis of nominally-scaled attribute data. 51: 101-110.

Hughes, J. R. *see* Ames, W. E. *et al.* 1978. 52: 285-291.

Hunn, E. S., and D. H. French. 1981. Lomatium: a key resource for Columbia Plateau native subsistence. 55: 87-94.

Hutchins, A. S., and C. -Y. Li. 1981. Relative capacities of filamentous and non-filamentous bacteria from two forest soils to inhibit *Phellinus weirii* in culture. 55: 219-224.

Ichimura, V. T., and J. W. Crosby, III. 1981. Uranium concentration in the ground waters of the Pullman-Moscow Basin, Whitman County, Washington and Latah County, Idaho. 55: 10-22.

Irwin, L. L. *see* Wittinger, W. T. *et. al.* 1977. 51: 161-171.

Israelsen, E. K. *see* Bernard, D. R., and E. K. Israelsen. 1982. 56: 148-158.

Jackson, L. E. 1982. Comparison of phenological patterns in prairie and subalpine meadow communities. 56: 316-328.

James, M. E. *see* Swanson, F. J. and M. E. James. 1975. 49: 1-11.

Jaques, D. *see* Worley, I. A. and D. Jaques. 1973. 47: 265-273.

Jarvis, R. L., and J. Engbring. 1976. Survival and reproduction of wild game-farm pheasants in western Oregon, 50: 222-230.

———, and S. B. Furniss. 1978. Distribution and survival of mallards banded at Malheur National Wildlife Refuge. 52: 292-302.

Johnson, D. J. *see* Campbell, D. S., and D. J. Johnson. 1982. 56: 90-100.

Johnson, D. R. 1976a. Mountain caribou: threats to survival in the Kootenay Pass region, British Columbia. 50: 97-101.

———. 1976b. Short-term effects of silicone antitranspirant on bird and mammal populations. 50: 156-159.

———, and D. R. Miller. 1979. Observations on reproduction of mountain caribou. 53: 114-117.

Johnson, Dale W. 1979. Some nitrogen fractions in two forest soils and their changes in response to urea fertilization. 53: 22-32.

Johnson, David W. 1979. Air pollution and the distribution of corticolous lichens in Seattle, Washington. 53: 257-263.

Johnson, Donald W. *see* Gasser, K. W. *et al.* 1981. 55: 174-181.

———. *see* Overton, C. K. *et al.* 1978. 52: 226-232.

Johnson, F. D., and R. Steele. 1978. New plant records for Idaho from Pacific coastal refugia. 52: 205-211.

Johnson, M. L., and C. Maser. 1982. Generic relationships of *Phenacomys albipes*. 56: 17-19.

Jones, G. S., J. O. Whitaker, Jr., and C. Maser. 1978. Food habits of jumping mice (*Zapus trinotatus* and *Z. princeps*) in western North America. 52: 57-60.

Jordan, J. W., and P. A. Vohs, Jr. 1976. Natality of black-tailed deer in McDonald State Forest, Oregon. 50: 108-113.

Jorgenson, D. B. *see* Karlo, J. F. *et al.* 1980. 54: 178-182.

Kaiser, T. E. *see* Henny, C. J. *et al.* 1982. 56: 329-337.

Kan, T. T., and C. E. Bond. 1981. Notes on the biology of the Miller Lake lamprey, *Lampetra* (*Entosphenus*) *minima*. 55: 70-74.

Kardong, K. V. 1980. Gopher snakes and rattlesnakes: presumtive Batesian mimicry. 54: 1-4.

Karlo, J. F., D. B. Jorgenson, and C. L. Shineldecker. 1980. Sulfate minerals in Snake River plain volcanoes. 54: 178-182.

Kehew, A. E. 1979. Drainage history of the Lewiston Basin. 53: 242-250.

Keller, B. L. *see* Woodruff, R. A., and B. L. Keller. 1982. 56: 199-207.

Keller, L. E. *see* Whitaker, J. O., Jr. *et al.* 1977. 51: 46-55.

Kemper, D. L., and J. M. Taylor. 1982. Photoperiod experiments on the American robin (*Turdus migratorius* L.) 56: 53-57.

Kendall, R. J. and P. F. Scanlon. 1982. A rapid method for analysis of tissues for heavy metals utilizing atomic absorption spectrophotometry. 56: 265-267.

Kiver, E. P., J. Snavely, and D. F. Snavely. 1977. Hydrogen sulfide fumes at the summit of Mount Rainier volcano, Washington. 51: 31-35.

Klages, M. G., L. D. Logan, and Y. P. Hsieh. 1973. Suspended solids carried by the Gallatin River of southwestern Montana I. amounts carried during spring runnoff. 47: 203-212.

Klepper, B. *see* Rickard, W. H. *et al.* 1978. 52: 110-118.

Kleyn, J. G. *see* Tison, D. L., and J. G. Kleyn. 1979. 53: 58-62.

Knight, D. H. *see* Reynolds, J. F., and D. H. Knight. 1973. 47: 50-60.

———. *see* Sabinske, D. W., and D. H. Knight. 1978. 52: 195-204.

Knight, R. L., and D. G. Smith. 1982. Summer raptor populations of a Washington coulee. 56: 303-309.

Knowles, C. R. *see* Smith, H. W. *et al.* 1975. 49: 209-215.

Knutson, D. M. *see* Tinnin, R. O. *et al.* 1976. 50: 1-7.

Kolby, N. I. *see* Babcock, R. S., and N. I. Kolby. 1973. 47: 180-184.

Kolva, D. A. *see* Davis, O. K. *et al.* 1977. 51: 13-30.

Koníček, D. L. 1975. Geophysical survey in south central Washington. 49: 106-117.

Koplin, J. R. *see* Henny, C. J. *et al.* 1978. 52: 261-271.

Koslucher, D. G. *see* Linder, A. D., and D. G. Koslucher. 1974. 48: 180-182.

Kozak, A. *see* Nokoe, S., and A. Zozak. 1979. 53: 12-17.

———. *see* Nokoe, S., and A. Kozak. 1981. 55: 263-268.

Krebill, R. G., and J. M. Muir. 1974. Morphological characterization of *Frankia purshiae*, the endophyte in root nodules of bitterbrush. 48: 266-268.

Kruckeberg, A. R. 1980. Golden chinquapin (*Chrysolepis chrysophylla*) in Washington State: a species at the northern limit of its range. 54: 9-16.

Krygier, E. E., and H. F. Horton. 1975. Distribution, reproduction, and growth of *Crangon nigricauda* and *Crangon franciscorum* in Yaquina Bay, Oregon. 49: 216-240.

Lackschewitz, K. H. *see* Watson, T. J., Jr., and K. H. Lackschewitz. 1980. 54: 106-108.

Landa, E. R. 1978. Uptake of mercury from soils by western wheatgrass seedlings. 52: 358-362.

Lang, B. Z., N. O. Dronen, F. W. Rachford, and L. N. Gleason. 1974. *Metagonimoides oregonensis* Price. 1931. (Trematoda: Heterophyidae) from California, Washington, Oregon, and Michigan and its development in hamsters. 48: 125-131.

Largent, D. L. 1974a. Studies in the rhodophylloid fungi IV: *Leptonia* section *Leptonidei*. 48: 52-56.

———. 1974b. Studies in the rhodophylloid fungi V: *Leptonia* subgenus *Paludocybe* section *Albidicaules* and section *Roseicaules* and related taxa. 48: 57-65.

Laroche, W. A., and R. L. Holton. 1979. Occurrence of 0-age English sole, *Parophrys vetulus*, along the Oregon coast: an open coast nursery area? 53: 94-96.

Larson, D. W. 1977. Enhancement of methylmercury uptake in fish by lake temperature, pH, and dissolved oxygen gradients: hypothesis. 51: 131-137.

———. 1981. Factors contributing to the maintenance of oligotrophy in an alpine glacial moraine lake (Wallowa Lake) in northeast Oregon. 55: 95-107.

Laumeyer, P. H., and O. E. Maughan. 1973. Preliminary inventory of fishes in Hangman Creek. 47: 66-69.

———. *see* Maughan, O. E., and P. H. Laumeyer. 1974. 48: 172-174.

Lawrence, R. D. 1979. Tectonic significance of regional jointing in Columbia River basalt, north-central Oregon. 53: 33-42.

Layser, E. F. 1978. Grizzly bears in the southern Selkirk Mountains. 52: 77-91.

LaZelle, M. C. *see* Aller, A. R. *et al.* 1981. 55: 248-262.

Leege, T. A. 1979. Effects of repeated prescribed burns on northern Idaho elk browse. 53: 107-113.

———, and W. O. Hickey. 1975. Growth and dieback of redstem (*Ceanothus sanguineus*) in Idaho. 49: 58-64.

———. *see* Orme, M. L. and T. A. Leege. 1980. 54: 187-198.

Lei, W. *see* Dunigan, P. F. X., Jr. *et al.* 1980. 54: 289-295.

Lewis, T. H. 1982. Contributions to paleontology by an early Montana physician. 56: 58-61.

Lewke, R. E., and I. O. Buss. 1977. Impacts of impoundment to vertabrate animals and their habitats in the Snake River Canyon, Washington. 51: 219-270.

Li, C. -Y. *see* Hutchins, A. S., and C. -Y. Li. 1981. 55: 219-224.

Linder, A. D., and D. G. Koslucher. 1974. A partial *Diastichus* (Cyprinidae) skeleton from the Plio-Pleistocene Lake Idaho. 48: 180-182.

Lindzey, F. G. 1976. Characteristics of the natal den of the badger. 50: 178-180.

———, and E. C. Meslow. 1976. Characteristics of black bear dens on Long Island, Washington. 50: 236-242.

Logan, L. D. *see* Klages, M. G. *et al.* 1973. 47: 203-212.

Long, J. N. 1977. Trends in plant species diversity associated with development in a series of *Pseudotsuga menziesii/Gaultheria shallon* stands. 51: 119-130.

———, E. G. Schreiner, and N. J. Manuwal. 1979. The role of actively moving sand dunes in the maintenance of an azonal, juniper-dominated community. 53: 170-179.

Lord, T. M., and A. J. Luckhurst. 1974. Alpine soils and plant communities of a stone sheep habitat in northeastern British Columbia. 48: 38-51.

Lovejoy, B. P., and H. C. Black. 1979. Population analysis of the mountain beaver, *Aplodontia rufa pacifica*, in western Oregon. 53: 82-89.

———, H. C. Black, and E. F. Hooven. 1978. Reproduction, growth, and development of the mountain beaver (*Aplodontia rufa pacifica*). 52: 323-328.

Lowrie, J. C. *see* Hooven, E. F. *et al.* 1979. 53: 79-81.

Luckhurst, A. J. *see* Lord, T. M., and A. J. Luckhurst. 1974. 48: 38-51.

Lugaski, T. *see* Vreeland, H. *et al.* 1979. 53: 180-189.

Lyman, R. L. 1980. Freshwater bivalve molluscs and Southern Plateau prehistory: a discussion and description of three genera. 54: 121-136.

McCain, K. W., and J. R. P. Ross. 1974. Annotated faunal list of cheilostome ectoprocta of Washington State. 48: 9-16.

———. *see* Ross, J. R. P., and K. W. McCain. 1976. 50. 160-171.

McCandlish, B. *see* Schroeder, P. E. *et al.* 1982. 56: 121-130.

McCullugh, D. T. *see* Hedlund, J. D. *et al.* 1975. 49: 253-260.

McCune, B. 1977. Vegetation development on a low elevation talus slope in western Montana. 51: 198-207.

McDonough, W. T. 1975. Germination polymorphism in *Grindelia squarrosa* (Pursh) Dunal. 49: 190-200.

———, and R. O. Harniss. 1974. Seed dormancy in *Artemisia tridentata* Nutt. subspecies *vaseyana* Rydb. 48: 17-20.

Mack, R. N., and V. M. Bryant, Jr. 1974. Modern pollen spectra from the Columbia Basin, Washington. 48: 183-194.

McKay, D. O., and B. J. Verts. 1978. Habitat preference and dispersion of Nuttall's cottontails. 52: 363-368.

———. *see* Sullins, G. L. *et al.* 1976. 50: 17-22.

McNeal, B. L. *see* Smith, J. L. *et al.* 1982. 56: 170-175.

McNeil, R. C., and D. B. Zobel. 1980. Vegetation and fire history of a ponderosa pine-white fir forest in Crater Lake National Park. 54: 30-46.

Mallette, R. D. *see* Henny, C. J. *et al.* 1978. 52: 261-271.

Manuwal, N. J. 1977 . Effects of reservoir formation on the annual growth rings of *Artemisia tridentata*. 51: 94-100.

———. *see* Long. J. N. *et al.* 1979. 53: 170-179.

Marangio, M. S. 1978. The occurrence of neotenic rough-skinned newts (*Taricha granulosa*) in montane lakes of southern Oregon. 52: 343-350.

Mark, D. M. 1976. An inventory of great blue heron (*Ardea herodias*) nesting colonies in British Columbia. 50: 32-41.

Marshall, J. A., and G. H. Deitschman. 1976. Computerization of data handling for long-term forest research plots. 50: 231-235.

Martin, E. A., and C. A. Rice. 1981. ^{210}Pb geochronology and trace metal concentrations of sediments from Upper Klamath Lake and Lake Euwana, Oregon. 55: 269-280.

Maser, C. 1975. Characters useful in identifying certain western Oregon mammals. 49: 158-159.

———, and E. F. Hooven. 1974. Notes on the behavior and food habits of captive Pacific shrews, *Sorex pacificus pacificus*. 48: 81-95.

———, and G. S. Strickler. 1978. The sage vole, *Lagurus curtatus*, as an inhabitant of subalpine sheep fescue, *Festuca ovina*, communities on Steens Mountain—an observation and interpretation. 52: 276-284.

———, and J. O. Whitaker, Jr. 1980. Mites found in the fur of a small sample of heteromyid rodents from Oregon. 54: 279-280.

———. *see* Hammer, E. W., and C. Maser. 1973. 47: 123-127.

———. *see* Henny, C. J. *et al.* 1982. 56: 329-337.

———. *see* Johnson, M. L., and C. Maser. 1982. 56: 17-19.

———. *see* Jones, G. S. *et al.* 1978. 52: 57-60.

———. *see* Nussbaum, R. A., and C. Maser. 1975. 49: 261-266.

———. *see* Whitaker, J. O., Jr., and C. Maser. 1976. 50: 102-107.

———. *see* Whitaker, J. O., Jr., and C. Maser. 1979. 53: 224-227.

———. *see* Whitaker, J. O., Jr., and C. Maser. 1981. 55: 202-208.

———. *see* Whitaker, J. O., Jr. *et al.* 1977. 51: 46-55.

———. *see* Whitaker, J. O., Jr. *et al.* 1979a. 53: 264-267.

———. *see* Whitaker, J. O., Jr. *et al.* 1979b. 53: 268-273.

———. *see* Whitaker, J. O., Jr. *et al.* 1980. 54: 26-29.

———. *see* Whitaker, J. O., Jr. *et al.* 1981a. 55: 75-77.

———. *see* Whitaker, J. O., Jr. *et al.* 1981b. 55: 281-292.

Matthees, R. A., and Z. F. Daneš. 1974. Polygonalism of an experimental crater. 48: 205-210

Maughan, O. E. 1974. A reinvestigation of the type locality of *Cottus tubulatus*. 48: 105-106.

———. 1976. A survey of fishes of the Clearwater River. 50: 76-86.

———, E. E. Edmundson, A. E. Farris, and R. L. Wallace. 1980. A comparison of fish species above and below Palouse Falls, Palouse River, Washington-Idaho. 54: 5-8.

———, and P. H. Laumeyer. 1974. Further information on the inventory of fishes in Hangman Creek. 48: 172-174.

———. *see* Laumeyer, P. H., and O. E. Maughan, 1973. 47: 66-69.

Meewig, R. O. *see* Everett, R. L. *et al.* 1977. 51: 271-281.

Mehringer, P. J., Jr. *see* Davis, O. K. *et al.* 1977. 51: 13-30.

Meinke, R. J. 1980. Some range extensions and a new state record for the Oregon flora. 54: 237-243.

Meslow, E. C. *see* Lindzey, F. G., and E. C. Meslow. 1976. 50: 236-242.

Miller, D. R. *see* Johnson, D. R., and D. R. Miller. 1979. 53: 114-117.

Miller, G. M. 1979. Western extent of the Shuksan and Church Mountain thrust plates in Whatcom, Skagit, and Snohomish Counties, Washington. 53: 229-241.

Miller, J. D. 1978. Observations on the diets of *Rana pretiosa*, *Rana pipens*, and *Bufo boreas* from western Montana. 52: 243-249.

Mills, H. H. 1979. Some implications of sediment studies for glacial erosion on Mount Rainier, Washington. 53: 190-199.

Mills, J. W., and H. E. Nordstrom. 1973. Multiple deformation of Cambrian rocks on the Kootenay Arc, near Northport, Stevens County, Washington. 47: 185-202.

———. *see* Thole, R. H., and J. W. Mills. 1979. 53: 141-156.

Minore, D., and A. W. Smart. 1978. Frost tolerance in seedlings of *Vaccinium membranaceum*, *Vaccinium globulare*, and *Vaccinium deliciosum*. 52: 179-185.

Mitchell, J. E., and C. R. Hatch. 1981. Use of polar coordinates in random sampling. 55: 168-173.

Mitchell, L. G. 1978. Coelozoic myxosporida of fishes of western Montana: genus *Chloromyxum*. 52: 236-242.

Mitchell, R. G., *see* Scurlock, J. H. *et al.* 1982. 56: 101-107.

Mitchell, R. J., and W. H. Moir. 1976. Vegetation of the Abbott Creek Research Natural Area, Oregon. 50: 42-58.

Moir, W. H. *see* Mitchell, R. J., and W. H. Moir. 1976. 50: 42-58.

Montgomery, J. C., D. H. Fickeisen, and C. D. Becker. 1980. Factors influencing smallmouth bass production in the Hanford area, Columbia River. 54: 296-305.

Mortensen, W. P. *see* Baker, A. S., and W. P. Mortensen. 1973. 47: 61-65.

Motobu, D. A. 1978. Effects of controlled slash burning on the mountain beaver (*Aplodontia rufa rufa*). 52: 92-99.

Muir, J. M. *see* Krebill, R. G., and J. M. Muir. 1974. 48: 266-268.

Murray, M. D., and D. L. Treat. 1980. Pacific silver fir in the Coast Range of southwestern Washington. 54: 119-120.

Myren, R. T. *see* Pella, J. J., and R. T. Myren. 1974. 48: 132-144.

Naas, D. B. *see* Douglas, G. W. *et al.* 1973. 47: 105-108.

———. *see* Taylor, R. J. *et al.* 1978. 52: 220-225.

Naas, R. W. *see* Douglas, G. W. *et al.* 1973. 47: 105-108.

———. *see* Taylor, R. J. *et al.* 1978. 52: 220-225.

Neal, F. D., and J. E. Borrecco. 1981. Distribution and relationship of mountain beaver to openings in sapling stands. 55: 79-86.

Nellis, C. H., R. L. Fairbanks, C. J. Terry, and R. D. Taber. 1974a. Subspecies overlap in mule deer and deer mice in the North Cascades, Washington. 48: 66-71.

———, C. J. Terry, and R. D. Taber. 1974b. A conical pitfall trap for small mammals. 48: 102-104.

Nelson, E. E., and H. A. Fay. 1975. Effect of temperature on growth and survival of high- and low-elevation isolates of *Phellinus* (*Poria*) *weirii*. 49: 119-121.

Newell, R. L., D. L. Andersen, and D. A. Hanzel. 1978. Bottom fauna as an indicator of lake typology in Flathead Lake, Montana. 52: 119-126.

Newman, J. R., *see* Stalmaster, M. V. *et al.* 1979. 53: 126-131.

Nicholson, A. C., and M. A. M. Bell. 1981. Microrelief and vegetation development on coal tailings in southeast British Columbia. 55: 235-244.

Nicolaus, L. K., T. E. Hoffman, and C. R. Gustavson. 1982. Taste aversion conditioning in free ranging racoons (*Procyon lotor*). 56: 165-169.

Nimlos, T. J., and H. Zuuring. 1982. The distrbution and thickness of volcanic ash in Montana. 56: 190-198.

———. *see* Goldin, A., and T. J. Nimlos. 1977. 51: 149-160.

Nixon, S. E. 1975. The ecology of Deadhorse Cave. 49: 65-70.

———. 1978. Freshwater triclads (*Turbellaria*) of Washington. 52: 51-56.

Noble, M. G. 1978. Sherman Glacier vegetation. 52: 351-357.

———. *see* Sandgren, C. D., and M. G. Noble. 1978. 52: 329-336.

Nokoe, S., and A. Kozak. 1979. Obtaining a composite volume-age function with the Gompertz model. 53: 12-17.

———, and A. Kozak. 1981. Improved efficiency in weight scaling operations through post-stratification techniques. 55: 263-268.

Nordstrom, H. E. *see* Mills, J. W., and H. E. Nordstrom. 1973. 47: 185-202.

Nussbaum, R. A., and G. W. Clothier. 1973. Population structure, growth, and size of larval *Dicamptodon ensatus* (Eschscholtz). 47: 218-227.

———, and L. V. Diller. 1976. The life history of the side-blotched lizard, *Uta stansburiana*, Baird and Girard, in north-central Oregon. 50: 243-260.

———, and R. F. Hoyer, 1974. Geographic variation and the validity of subspecies in the rubber boa, *Charina bottae* (Blainville). 48: 219-229.

———, and C. Maser. 1975. Food habits of the bobcat, *Lynx rufus*, in the Coast and Cascade Ranges of western Oregon, in relation to present management policies. 49: 261-266.

Ogle, T. F., and A. L. Farris. 1973. Aspects of cold adaptation in the coyote. 47: 70-74.

Okazaki, R. *see* Smith, H. W. *et al.* 1975. 49: 209-215.

Orme, M. L., and T. A. Leege. 1980. Phenology of shrubs on a north Idaho elk range. 54: 187-198.

Orr, W. N., and J. Faulhaber. 1975. A middle Tertiary cetacean from Oregon. 49: 174-181.

Ottmar, R. *see* Pickford, S. G. *et al.* 1980. 54: 92-105.

Overton, C. K., D. A. Grove, and D. W. Johnson. 1978. Food habits of Rocky Mountain whitefish (*Prosopium williamsoni*) from the Teton River in relation to their age and growth. 52: 226-232.

Owens, E. J. *see* Smith, J. L. *et al.* 1982. 56: 170-175.

Owens, T. E. 1982. Postburn regrowth of shrubs related to canopy mortality. 56: 34-40.

Page, T. L. *see* Dauble, D. D. *et al.* 1980. 54: 253-258.

Paquet, P. J. *see* Tinnin, R. O. *et al.* 1976. 50: 1-7.

Partridge, A. D. *see* Frederick, D. J., and A. D. Partridge. 1977. 51: 282-292.

Patten, B. G. 1981. Observations of fish on and around an artificial reef in Puget Sound, Washington. 55: 136-144.

Pedersen, R. J. *see* Whitaker, J. O., Jr. *et al.* 1979b. 53: 268-273.

Peek, J. M. *see* Wittinger, W. T. *et al.* 1977. 51: 161-171.

Pella, J. J., and R. T. Myren. 1974. Caveats concerning evaluation of effects of logging on salmon production in southeastern Alaska from biological information. 48: 132-144.

Pengelly, W. L. *see* Wittinger, W. T. *et al.* 1977. 51: 161-171.

Perry, D. *see* Weaver, T., and D. Perry. 1978. 52: 212-219.

Perry, D. A. *see* Schroeder, P. E. *et al.* 1982. 56: 121-130.

Perry, W. B., and J. A. Stanford. 1982. Algal growth stimulus by phosphorus in Flathead Lake, Montana, sediments. 56: 48-52.

Peterson, S. R. 1982. A preliminary survey of forest bird communities in northern Idaho. 56: 287-298.

Pickford, S. G., G. R. Fahnestock, and R. Ottmar. 1980. Weather, fuel, and lightning fires in Olympic National Park. 54: 92-105. (Error noted 54: 243)

Pike, L. H. 1973. Lichens and bryophytes of a Willamette Valley oak forest. 47: 149-158.

Pitt, M. D. *see* Selby, C. J., and M. D. Pitt. 1982. 56: 268-275.

———. *see* Wikeem, S. J., and M. D. Pitt. 1982. 56: 276-286.

Pluth, D. J. *see* Salter, R. E., and D. J. Pluth. 1980. 54: 109-118.

Poston, T. M. *see* Dauble, D. D. *et al.* 1978. 52: 108-109.

Postovit, H. R. 1976. The potential effects of urea fertilization on *Peromyscus maniculatus* in northwest forests. 50: 87-96.

Primbs, E. R. J. 1979. Rationale of the distribution of the sculpin, *Cottus* sp., in the Salmon River, Idaho. 53: 18-21

Quigley, R. J. 1974. A simple argument against tachyon detectability. 48: 203-204.

Rabe, F. W., and S. B. Bauer. 1977. Heavy metals in lakes of the Coeur d'Alene River valley, Idaho. 51: 183-197.

———. *see* Savage, N. L., and F. W. Rabe. 1973. 47: 159-168.

Rachford, F. W. *see* Lang, B. Z. *et al.* 1974. 48: 125-131.

Rada, R. G., and J. C. Wright. 1979. Factors affecting nitrogen and phosphorus levels in Canyon Ferry reservoir, Montana, and its effluent waters. 53: 213-220.

Rasmussen, L. F., and D. C. Williams. 1975. The occurrence and distribution of mercury in marine organisms in Bellingham Bay. 49: 87-94.

Rausch, R. L. *see* Rausch, V. R., and R. L. Rausch. 1979. 53: 54-57.

Rausch, V. R., and R. L. Rausch. 1979. Karyotype of the red fox, *Vulpes vulpes* L., in Alaska. 53: 54-57.

Reynolds, J. F., and D. H. Knight. 1973. The magnitude of snowmelt and rainfall interception by litter in lodgepole pine and spruce-fir forests in Wyoming. 47: 50-60.

Reynolds, T. D., and C. H. Trost. 1981. Grazing, crested wheatgrass, and bird populations in southeastern Idaho. 55: 225-234.

Rice, C. A. *see* Martin, E. A., and C. A. Rice. 1981. 55: 269-280.

Richter, K. O. 1973. Freeze-branding for individually marking the banana slug: *Ariolimax columbianus* G. 47: 109-113.

Rickard, W. H. 1975a. Vegetation of knob and kettle topography in south-central Washington. 49: 147-152.

———. 1975b. Litterfall in a douglas-fir forest near the Trojan Nuclear Power Station, Oregon. 49: 183-189.

———, and J. F. Cline. 1980. Cheatgrass communities: effect of plowing on species composition and productivity. 54: 216-221.

———, J. F. Cline, and R. O. Gilbert. 1973a. Behavior of winter annuals as influenced by microtopography and elevation. 47: 44-49.

———, J. F. Cline, and R. O. Gilbert. 1973b. Soil beneath shrub halophytes and its influence upon the growth of cheatgrass. 47: 213-217.

———, J. F. Cline, and R. O. Gilbert. 1974. Pitfall trapping and direct counts of darkling beetles in cheatgrass communities. 48: 96-101.

———, and R. E. Fitzner. 1978. Avifaunal survey of the Trojan Nuclear Power Station. 52: 61-66.

———, W. C. Hanson, and R. E. Fitzner. 1982. The non-fisheries biological resources of the Hanford reach of the Columbia River. 56: 62-76.

———, B. Klepper, R. H. Sauer, and J. M. Thorp. 1978. *Balsamorhiza rosea* and *Eriogonum thymoides* in Benton County, Washington, 1976. 52: 110-118.

———, and R. H. Sauer. 1982a. Self-revegetation of disturbed ground in the deserts of Nevada and Washington. 56: 41-47.

———, and R. H. Sauer. 1982b. Primary production and canopy cover in bitterbrush-cheatgrass communities. 56: 250-256.

———, and J. L. Warren, 1981a. Canopy cover and phytomass comparisons of steep slopes planted to cheatgrass. 55: 40-43.

———, and J. L. Warren, 1981b. Response of steppe shrubs to the 1977 drought. 55: 108-112.

———. *see* Cline, J. F., and W. H. Rickard. 1974. 48: 235-238.

———. *see* Cline, J. F. *et al.* 1977. 51: 60-70.

———. *see* Dunigan, P. F. X., Jr. *et al.* 1980. 54: 289-295.

———. *see* Fitzner, R. E. *et al.* 1978. 52: 104-107.

———. *see* Gano, K. A., and W. H. Rickard. 1982. 56: 1-7.

———. *see* Hedlund, J. D., and W. H. Rickard. 1976. 50: 172-177.

———. *see* Hedlund, J. D. *et al.* 1975. 49: 253-260.

———. *see* Sauer, R. H., and W. H. Rickard. 1979. 53: 5-11.

Roemhild, G. 1982. The trichoptera of Montana with distributional and ecological notes. 56: 8-13.

Roeper, R. A., and J. R. J. French. 1981. Ambrosia fungi of the western United States and Canada—beetle associations (*Coleoptera: Scolytidae*), tree hosts, and distributions. 55: 305-309.

Rogers, L. E., and R. E. Fitzner. 1980. Characterization of darkling beetles inhabiting radioecology study areas at the Hanford site in southcentral Washington. 54: 202-206.

———, and J. D. Hedlund. 1980. A comparison of small mammal populations occupying three distinct shrub-steppe communities in eastern Oregon. 54: 183-186.

———, and D. W. Uresk. 1974. Food plant selection by the migratory grasshopper (*Melanoplus sanguinipes*) within a cheatgrass community. 48: 230-234.

———, and N. E. Woodley. 1978. Invertebrate density and biomass distribution patterns in an old-field community in south-central Washington. 52: 100-103.

———. *see* Hedlund, J. D., and L. E. Rogers, 1980. 54: 153-159.

Rosenberg, E. S. *see* Burg, M. E. *et al.* 1980. 54: 222-236.

Ross, J. R. P., and K. W. McCain. 1976. *Schizoporella unicornis* (Ectoprocta) in coastal waters of northwestern United States and Canada. 50: 160-171.

———. *see* McCain, K. W., and J. R. P. Ross. 1974 48: 9-16.

Rotenberry, J. T., W. T. Hinds, and J. M. Thorp. 1976. Microclimatic patterns on the Arid Lands Ecology Reserve. 50: 122-130.

Rumfelt, T. *see* Haas, G. E. *et al.* 1980. 54: 210-215.

Russell, C. *see* Clark, T. W., and C. Russell. 1977. 51: 36-42.

Saab, V. A. *see* Clark, T. W. *et al.* 1980. 54: 55-67.

Sabinske, D. W., and D. H. Knight. 1978. Variation within the sagebrush vegetation of Grand Teton National Park, Wyoming. 52: 195-204.

Salter, R. E., and D. J. Pluth. 1980. Determinants of mineral lick utilization by feral horses. 54: 109-118.

Sandgren, C. D., and M. G. Noble. 1978. A floristic survey of a subalpine meadow on Mt. Wright, Glacier Bay National Monument, Alaska. 52: 329-336.

Sauer, R. H., and W. H. Rickard. 1979. Vegetation of steep slopes in the shrub-steppe region of southcentral Washington. 53: 5-11.

———, and D. W. Uresk. 1976. Phenology of steppe plants in wet and dry years. 50: 133-139.

———. *see* Rickard, W. H., and R. H. Sauer. 1982a. 56: 41-47.

———. *see* Rickard, W. H., and R. H. Sauer. 1982b. 56: 250-256.

———. *see* Rickard, W. H. *et al.* 1978. 52: 110-118.

Savage, N. L., and F. W. Rabe. 1973. The effects of mine and domestic wastes on macroinvertebrate community structure in the Coeur d'Alene River. 47: 159-168.

Scanlon, P. F. *see* Kendall, R. J., and P. F. Scanlon. 1982. 56: 265-267.

Schier, G. A. *see* Zasada, J. C., and G. A. Schier. 1973. 47: 100-104.

Schneider, M. J., T. J. Connors, R. G. Genoway, and S. A. Barraclough. 1981. Some effects of simultaneous thermal and exercise stress in rainbow trout (*Salmo gairdneri*). 55: 62-69.

Schreckhise, R. G. *see* Fitzner, R. E. *et al.* 1980. 54: 244-252.

Schreiner, E. G. *see* Long, J. N. *et al.* 1979. 53: 170-179.

Schroeder, P. E., B. McCandlish, R. H. Waring, and D. A. Perry. 1982. The relationship of maximum canopy leaf area to forest growth in eastern Washington. 56: 121-130.

Scott, D. B. 1974. Recent benthonic foraminifera from Samish and Padilla Bays, Washington. 48: 211-218.

Scurlock. J. H., R. G. Mitchell, and K. K. Ching. 1982. Insects and other factors affecting noble fir seed production at two sites in Oregon. 56: 101-107.

Seidel, K. W. 1974. Freezing resistance of hardened and unhardened grand fir seedlings. 48: 195-202.

Selby, C. J., and M. D. Pitt. 1982. Taxonomic extensions in the Chilcotin Mountains of southern British Columbia. 56: 268-275.

Shaw, C. G., III. 1980. Characteristics of *Armillaria mellea* on pine root systems in expanding centers of root rot. 54: 137-145.

Shineldecker, C. L. *see* Karlo, J. F. *et al.* 1980. 54: 178-182.

Sipco, E. T. *see* Fitzner, R. E. *et al.* 1980. 54: 244-252.

Slusser, G. F. *see* Ames, W. E. *et al.* 1978. 52: 285-291.

Smart, A. W. *see* Minore, D., and A. W. Smart. 1978. 52: 179-185.

Smith, D. G. *see* Knight, R. L., and D. G. Smith. 1982. 56: 303-309.

Smith, G. W. 1979. Movements and home range of the porcupine in northeastern Oregon. 53: 277-282.

———. 1982. Habitat use by porcupines in a ponderosa pine/douglas-fir forest in northeastern Oregon. 56: 236-240.

Smith, H. W., R. Okazaki, and C. R. Knowles. 1975. Electron microprobe analysis as a test of the correlation of West Blacktail ash with Mount St. Helens pyroclastic layer T. 49: 209-215.

Smith, J. L., E. J. Owens, and B. L. McNeal. 1982. Effects of volcanic ash on soil nitrogen mineralization and accompanying CO_2 production. 56: 170-175.

Smith, R. B. 1973. Factors affecting dispersal of dwarf mistletoe seeds from an overstory western hemlock tree. 47: 9-19.

Snavely, D. F. *see* Kiver, E. P. *et al.* 1977. 51: 31-35.

Snavely, J. *see* Kiver, E. P. *et al.* 1977. 51: 31-35.

Snyder, G. R. *see* Blahm, T. H., and G. R. Snyder. 1975. 49: 267-270.

Soltero, R. A., J. C. Wright, and A. A. Horpestad. 1974. The physical limnology of Bighorn Lake-Yellowtail Dam, Montana: internal density currents. 48: 107-124.

———. *see* Bauman, L. R., and R. A. Soltero. 1978. 52: 127-136.

———. *see* Graham, W. G. *et al.* 1979. 53: 159-169.

———. *see* Williams, P. H., and R. A. Soltero. 1978. 52: 186-194.

Stalmaster, M. V., J. R. Newman, and A. J. Hansen. 1979. Population dynamics of wintering bald eagles on the Nooksack River, Washington. 53: 126-131.

Stanford, J. A. *see* Perry, W. B., and J. A. Stanford. 1982. 56: 48-52.

Steele, A. 1978. Bryophyte communities of central Idaho forests. 52: 310-322.

Steele, R. *see* Johnson, F. D., and R. Steele. 1978. 52: 205-211.

Steele, W. K. *see* Yost, C. R., and W. K. Steele. 1978. 52: 250-260.

Stock, M. W. 1980. A simplified method for evaluating tides and temperatures affecting an intertidal insect on the Oregon coast. 54: 168-177.

Storm, R. M. *see* Hooven, E. F. *et al.* 1975. 49: 163-173.

Strickler, G. S. *see* Maser, C., and G. S. Strickler. 1978. 52: 276-284.

Stronk, D. R. 1981. Variations in grading of college science courses. 55: 23-25.

Sullins, G. L., D. O. McKay, and B. J. Verts. 1976. Estimating ages of cottontails by periosteal zonations. 50: 17-22.

Sundquist, L. M. *see* Taylor, R. J. *et al.* 1973. 47: 169-179.

Swanson, F. J., and M. E. James. 1975. Geomorphic history of the lower Blue River-Lookout Creek area, Western Cascades, Oregon. 49: 1-11.

———. *see* Gottesfeld, A. S. *et al.* 1981. 55: 157-167.

Taber, R. D. *see* Nellis, C. H. *et al.* 1974a. 48: 66-71.

———. *see* Nellis, C. H. *et al.* 1974b. 48: 102-104.

Tabor, J. A. *see* Thompson, B. C., and J. A. Tabor. 1981. 55: 209-218.

Taylor, J. M. *see* Kemper, D. L., and J. M. Taylor. 1982. 56: 53-57.

Taylor, R. J., and T. R. Boss. 1975. Biosystematics of *Quercus garryana* in relation to its distribution in the state of Washington. 49: 49-57.

———, and G. W. Douglas. 1978. Plant ecology and natural history of Chowder Ridge, Mt. Baker: a potential alpine research natural area in the western North Cascades. 52: 35-50.

———, G. W. Douglas, and L. M. Sundquist. 1973. Contributions to the flora of Washington. II. 47: 169-179.

———, D. B. Naas, R. W. Naas, and G. W. Douglas. 1978. Contributions to the flora of Washington. III. 52: 220-225.

Terry, C. J. *see* Nellis, C. H. *et al.* 1974a. 48: 66-71.

———. *see* Nellis, C. H. *et al.* 1974b. 48: 102-104.

Thatcher, E. P. 1980. Thomas J. Howell and Louis F. Henderson: early resident botanists of the Pacific Northwest. 54: 81-91.

Thole, R. H., and J. W. Mills. 1979. Joint analysis of the magnesite belt of Stevens County, Washington. 53: 141-156.

Thompson, B. C. 1976. Running speeds of crippled coyotes. 50: 181-182.

———, and J. A. Tabor. 1981. Nesting populations and breeding chronologies of gulls, terns, and herons on the upper Columbia River, Oregon and Washington. 55: 209-218.

Thompson, S. E., Jr. *see* Van Vuren, D., and S. E. Thompson, Jr. 1982. 56: 131-135.

Thorp, J. M. *see* Rickard, W. H. *et al.* 1978. 52: 110-118.

———. *see* Rotenberry, J. T. *et al.* 1976. 50: 122-130.

Tieben, G. L. *see* Whitaker, J. O., Jr. *et al.* 1980. 54: 26-29.

Tiedemann, A. R. *see* Fowler, W. B., and A. R. Tiedemann. 1980. 54: 17-25.

Tinnin, R. O., P. J. Paquet, and D. M. Knutson. 1976. Factors limiting the western range of *Arceuthobium douglasii* in Oregon—a hypothesis. 50: 1-7.

———. *see* Zilka, P. J., and R. O. Tinnin. 1976. 50: 8-16.

Tisdale, E. W. 1976. Vegetational responses following biological control of *Hypericum perforatum* in Idaho. 50: 61-75.

Tison, D. L., and J. G. Kleyn. 1979. Microbial ecology of Olympic Hot Springs. 53: 58-62.

Toweill, D. E. 1982. Winter food of eastern Oregon bobcats. 56: 310-315.

Trappe, J. M. *see* Fogel, R., and J. M. Trappe. 1978. 52: 1-31.

Treat, D. L. *see* Murray, M. D., and D. L. Treat. 1980. 54: 119-120.

Tripp, D. R. *see* Burg, M. E. *et al.* 1980. 54: 222-236.

Trost, C. H. *see* Reynolds, T. D., and C. H. Trost. 1981. 55: 225-234.

Tueller, P. T. *see* Everett, R. L. *et al.* 1977. 51: 271-281.

Uresk, D. W., and V. A. Uresk. 1982. Diets and habitats of mule deer in south-central Washington. 56: 138-147.

———. *see* Cline, J. F. *et al.* 1977. 51: 60-70.

———. *see* Rogers, L. E., and D. W. Uresk. 1974. 48: 230-234.

———. *see* Sauer, R. H., and D. W. Uresk. 1976. 50: 133-139.

Uresk, V. A. *see* Uresk, D. W., and V. A. Uresk. 1982. 56: 138-147.

Urness, P. J. *see* Collins, W. B., and P. J. Urness. 1982. 56: 299-302.

Van Vuren, D., and S. E. Thompson, Jr. 1982. Opportunistic feeding by coyotes. 56: 131-135. (Error noted 56: 257)

Verts, B. J. *see* Costain, D. B., and B. J. Verts. 1982. 56: 230-235.

———. *see* McKay, D. O., and B. J. Verts. 1978. 52: 363-368.

———. *see* Sullins, G. L. *et al.* 1976. 50: 17-22.

Vogt, D. J., and R. L. Edmonds. 1982. Nitrate and ammonium levels in relation to site quality in douglas-fir soil and litter. 56: 83-89.

Vohs, P. A., Jr. *see* Jordan, J. W., and P. A. Vohs, Jr. 1976. 50: 108-113.

Vreeland, H., T. Lugaski, and P. Vreeland. 1979. Integrated ecology of the Great Basin. Part III: a preliminary analysis of Newark Summit, Eureka County, Nevada. 53: 180-189.

Vreeland, P. *see* Vreeland, H. *et al.* 1979. 53: 180-189.

Wallace, R. L. *see* Maughan, O. E. *et al.* 1980. 54: 5-8.

Wallace, W. M. *see* Whitaker, J. O., Jr. *et al.* 1979a. 53: 264-267.

Waring, R. H. *see* Emmingham, W. H., and R. H. Waring. 1973. 47: 88-89.

———. *see* Schroeder, P. E. *et al.* 1982. 56: 121-130.

Warren, J. L. *see* Rickard, W. H., and J. L. Warren. 1981a. 55: 40-43.

———. *see* Rickard, W. H., and J. L. Warren. 1981b. 55: 108-112.

Washington, P. M. 1977. First specimen of rosethorn rockfish, *Sebastes helvomaculatus* (Ayres 1859), recorded from Puget Sound, Washington. 51: 216-218.

Watkinson, A. J., and J. Bressler. 1979. An anomalous bedding/cleavage relationship. 53: 1-4.

Watson, A. F. *see* del Moral, R., and A. F. Watson. 1978. 52: 137-150.

Watson, T. J., Jr., and K. H. Lackschewitz. 1980. The genus *Saussurea* (Asteraceae-Cynareae) in Montana. 54: 106-108.

Weaver, J. L. *see* Davenport, D. R., and J. L. Weaver. 1982. 56: 79-82.

———. *see* Hoak, J. H. *et al.* 1982. 56: 159-161.

Weaver, T. 1978. Auxin regulation of branch abscission by aspen (*Populus tremuloides*, Michx.). 52: 168-170.

———, and D. Perry. 1978. Relationship of cover type to altitude, aspect, and substrate in Bridger Range, Montana. 52: 212-219.

Weber, J. W. 1975. Eigenvalue analysis of an elastostatic sector problem. 49: 201-208.

West, N. E. *see* Harniss, R. O., and N. E. West. 1973. 47: 30-43.

Whitaker, J. O., Jr., and C. Maser. 1976. Food habits of five western Oregon shrews. 50: 102-107.

———, and C. Maser. 1979. Parasitic mites of voles of the genera *Arborimus* and *Lagurus* in Oregon. 53: 224-227.

———, and C. Maser. 1981. Food habits of seven species of lizards from Malheur County, southeastern Oregon. 55: 202-208.

———, C. Maser, and S. P. Cross. 1981a. Foods of Oregon silver-haired bats, *Lasionycteris noctivagans*. 55: 75-77.

———, C. Maser, S. P. Cross. 1981b. Food habits of eastern Oregon bats, based on stomach and scat analysis. 55: 281-292.

———, C. Maser, and L. E. Keller. 1977. Food habits of bats of western Oregon. 51: 46-55.

———, C. Maser, and R. J. Pedersen. 1979b. Food and ectoparasitic mites of Oregon moles. 53: 268-273.

———, C. Maser, and W. M. Wallace. 1979a. Parasitic mites of the mountain beaver (*Aplodontia rufa*) from Oregon. 53: 264-267.

———, G. L. Tieben, and C. Maser. 1980. Mites (excluding chiggers) from the fur of five species of western Oregon shrews. 54: 26-29.

———. *see* Henny, C. J. *et al.* 1982. 56: 329-337.

———. *see* Jones, G. S. *et al.* 1978. 52: 57-60.

———. *see* Maser, C., and J. O. Whitaker, Jr. 1980. 54: 279-280.

White, D. L. 1974. Geology of the Pittsburg Landing-Big Canyon Creek area, Snake River canyon, Idaho and Oregon. 48: 72-79.

White, R. L., II. 1977. Prey selection by the rough skinned newt, (*Taricha granulosa*) in two pond types. 51: 114-118.

Wicker, E. F. 1974. *Arceuthobium douglasii*: its absence from the flora of the Puget-Willamette lowlands. 48: 239-244.

Wiederholm, T. 1976. A survey of the bottom fauna of Lake Sammamish. 50: 23-31. (Error noted 50: 121.)

———. 1979. Chironomid remains in recent sediments of Lake Washington. 53: 251-256.

Wikeem, S. J., and M. D. Pitt. 1982. Soil nitrogen gradients as influenced by sagebrush canopy in southern British Columbia. 56: 276-286.

Wilcox, R. B., J. D. Brotherson, and W. E. Evenson. 1981. Canopy influence on understory community composition. 55: 194-201.

Will, G. C. 1973a. Population characteristics of northern Idaho white-tailed deer, 1969-1971. 47: 114-122.

———. 1973b. Hunting success on northern Idaho white-tailed deer, 1969-1971. 47: 250-254.

Will, G. M., and C. T. Youngberg. 1979. Some foliage nutrient levels in tree and brush species growing on pumice soils in central Oregon. 53: 274-276.

Williams, D. C. *see* Rasmussen, L. F., and D. C. Williams. 1975. 49: 87-94.

Williams, P. H., and R. A. Soltero. 1978. Response of the Spokane River diatom community to primary sewage effluent. 52: 186-194.

Wilson, N. *see* Haas, G. E. *et al.* 1980. 54: 210-215.

Wittinger, W. T., W. L. Pengelly, L. I. Irwin, and J. M. Peek. 1977. A 20-year record of shrub succession in logged areas in the cedar-hemlock zone of northern Idaho. 51: 161-171.

Wood, B. *see* Hoak, J. H. *et al.* 1981. 55: 245-247.

Woodley, N. E. *see* Rogers, L. E., and N. E. Woodley. 1978. 52: 100-103.

Woodruff, R. A., and B. L. Keller. 1982. Dispersal, daily activity, and home range of coyotes in southeastern Idaho. 56: 199-207.

Worley, I. A. 1973. The "black crust" phenomenon in upper Glacier Bay, Alaska. 47: 20-29.

———, and D. Jaques. 1973. Subalpine fir (*Abies lasiocarpa*) in coastal western North America 47: 265-273.

Wright, J. C. *see* Rada, R. G., and J. C. Wright. 1979. 53: 213-220.

———. *see* Soltero, R. A. *et al.* 1974. 48: 107-124.

Yost, C. R., and W. K. Steele. 1978. Gravity survey of the Cheney quadrangle, Washington. 52: 250-260.

Youngberg, C. T. *see* Will, G. M., and C. T. Youngberg. 1979. 53: 274-276.

Zasada , J. C., and G. A. Schier. 1973. Aspen root suckering in Alaska: effect of clone, collection date, and temperature. 47: 100-104.

Zilka, P. J., and R. O. Tinnin. 1976. Potential avian influence in the distribution of dwarf mistletoe. 50: 8-16.

Zobel, D. B. *see* Hawk, G. M., and D. B. Zobel. 1974. 48: 245-265.

———. *see* McNeil, R. C., and D. B. Zobel. 1980. 54: 30-46.

Zuuring, H. *see* Nimlos, T. J., and H. Zuuring. 1982. 56: 190-198.

PART II

SUBJECT INDEX

SUBJECT INDEX

Abbott Creek National Area, Or.
plant communities: Mitchell and Moir, 1976. 50: 42-58.

abscission
auxin regulation: Weaver, 1978. 52: 168-170.

age estimation
cottontails: Sullins, McKay, and Verts, 1976. 50: 17-22.
squirrels: Costain and Verts, 1982. 56: 230-235.

Alaska
aspen root suckering: Zasada and Schier, 1973. 47: 100-104.
forest soils: Grigal, 1979. 53: 43-50.
logging and salmon: Pella and Myren, 1974. 48: 132-144.
red fox: Rausch and Rausch, 1979. 53: 54-57.
seals: Everitt and Braham, 1980. 54: 281-288.
small mammals: Fuller, 1981. 55: 298-303.
subalpine fir: Worley and Jaques, 1973. 47: 265-273.
subalpine meadow: Sandgren and Noble, 1978. 52: 329-336.
swallow fleas: Haas, Rumfelt, and Wilson, 1980. 54: 210-215.
see also Bering Sea; Glacier Bay; Mount Wright; Sherman Glacier; Stikine Flats.

albinos
salmon: Dauble, Gray, Hanf, and Poston, 1978. 52: 108-109.

alder (*Alnus*)
red (*A. rubra*), succession: Henderson, 1978. 52: 156-167.
see also plant communities.

Aldrich Mountains, Or.
Alaska-cedar: Frenkel, 1974. 48: 29-37.

algae
growth in lakes: Perry and Stanford, 1982. 56: 48-52.
in hot springs: Tison and Kleyn, 1979. 53: 58-62.

alpine areas
lake: Larson, 1981. 55: 95-107.
oil spill and vegetation: Belsky, 1975. 49: 141-146.
plant communities: Fareed and Caldwell, 1975. 49: 17-23.
———: Lord and Luckhurst, 1974. 48: 38-51.
———: Sandgren and Noble, 1978. 52: 329-336.
———: Taylor and Douglas, 1978. 52: 35-50.
see also plant communities.

amphibians
Oregon: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
Washington: Harris, 1976. 50: 114-121.
see also frogs; newts; salamanders; toads.

animal communities
Great Basin: Vreeland, Lugaski, and Vreeland, 1979. 53: 180-189.

annual plants
topographic influence: Rickard, Cline, and Gilbert, 1973a. 47: 44-49.

antitranspirants
and animals: Johnson, 1976b. 50: 156-159.

Aplodontia rufa (mountain beaver)
development: Lovejoy, Black, and Hooven, 1978. 52: 323-328.
ectoparasites: Whitaker, Maser, and Wallace, 1979a. 53: 264-267.
forest damage by: Neal and Borrecco, 1981. 55: 79-86.
population study: Lovejoy and Black, 1979. 53: 82-89.
and slash burning: Motobu, 1978. 52: 92-99.

Apocynaceae
see dogbane.

arachnids
in landfill: Crawford, 1979. 53: 51-53.
see also chiggers; mites; ticks.

archeological sites
bivalve mollusc shells: Lyman, 1980. 54: 121-136.

Arid Lands Ecology Reserve, Wa.
microclimate: Rotenberry, Hinds, and Thorp, 1976. 50: 122-130.
pocket mice: Dunigan, Lei, and Rickard, 1980. 54: 289-295.
———: Hedlund and Rogers, 1980. 54: 153-159.
steppe plant phenology: Sauer and Uresk, 1976. 50: 133-139.
see also Hanford Reservation, Wa.

arthropods
in cheatgrass community: Rogers and Woodley, 1978. 52: 100-103.
in landfill: Crawford, 1979. 53: 51-53.
see also arachnids; centipedes; crustaceans; insects.

ash
volcanic, analyses: Smith, Okazaki, and Knowles, 1975. 49: 209-215.
———, in Montana: Nimlos and Zuuring, 1982. 56: 190-198.
———, and soil: Smith, Owens, and McNeal, 1982. 56: 170-175.

aspen (*Populus*)
quaking (*P. tremuloides*), abscission: Weaver, 1978. 52: 168-170.
———, suckering: Zasada and Schier, 1973. 47: 100-104.

auxins
and abscission. Weaver, 1978. 52: 168-170.

bacteria
in hot springs: Tison and Kleyn, 1979. 53: 58-62.
inhibition by: Hutchins and Li, 1981. 55: 219-224.
in root nodules: Krebill and Muir, 1974. 48: 266-268.
Yersinia enterocolitica: Bacon, 1982. 56: 136-137.

badgers (*Taxidea taxus*)
natal dens: Lindzey, 1976. 50: 178-180.

Baker Valley, Wa.
surficial geology: Heller and Dethier, 1981. 55: 145-155.

balsam-root (*Balsamorhiza rosea*)
in Washington: Rickard, Klepper, Sauer, and Thorp, 1978. 52: 110-118.

basalt
see Columbia River basalt.

bass
smallmouth (*Micropterus dolomieni*): Montgomery, Fickeisen, and Becker, 1980. 54: 296-305.
see also fish.

bats
food habits: Whitaker, Maser, and Keller, 1977. 51: 46-55.
———: Whitaker, Maser, and Cross, 1981b. 55: 281-292.
and organochlorine residues: Henny, Maser, Whitaker, and Kaiser, 1982. 56: 329-337.
silver-haired, food: Whitaker, Maser, and Cross, 1981a. 55: 75-77.

bears
black (*Ursus americanus*), dens: Lindzey and Meslow, 1976. 50: 236-242.
grizzly (*U. arctos*), Selkirk Mountains: Layser, 1978. 52: 77-91.
———, Wyoming: Hoak, Clark, and Wood, 1981. 55: 245-247.

bedding/cleavage relationships
Kootenay Arc: Watkinson and Bressler, 1979. 53: 1-4.

beetles
and ambrosia fungi: Roeper and French. 1981. 55: 305-309.
bark: Bethlahmy, 1975. 49: 95-105.
darkling: Rickard, Cline, and Gilbert, 1974. 48: 96-101.
———: Rogers and Fitzner, 1980. 54: 202-206.
Pleocoma larvae: Fellin, 1975. 49: 71-86.

Bellingham Bay, Wa.
mercury uptake by organisms: Rasmussen and Williams, 1975. 49: 87-94.

Bering Sea
seals: Everitt and Braham, 1980. 54: 281-288.

Betulaceae
see alder.

Big Lost River, Id.
sculpins: Gasser, Cannamela, and Johnson, 1981. 55: 174-181.
Bighorn Lake, Mo.
limnology: Soltero, Wright, and Horpestad, 1974. 48: 107-124.

biological control
of goatweed: Tisdale, 1976. 50: 61-75.

birds
and antitranspirants: Johnson, 1976b. 50: 156-159.
and dam impoundment: Lewke and Buss, 1977. 51: 219-270.
and dwarf mistletoe distribution: Zilka and Tinnin, 1976. 50: 8-16.
ectoparasites: Haas, Rumfelt, and Wilson, 1980. 54: 210-215.
of Oregon: Browning, 1974. 48: 166-171.
———: Browning, 1979. 53: 132-140.
populations, forests: Peterson, 1982. 56: 287-298.
———, grazed land: Reynolds and Trost, 1981. 55: 225-234.
———, Hanford: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
———, Trojan Power Station: Rickard and Fitzner, 1978. 52: 61-66.
———, Upper Columbia River: Thompson and Tabor, 1981. 55: 209-218.
of prey: Knight and Smith, 1982. 56: 303-309.
see also coots; ducks; eagles; gulls; hawks; herons; nuthatches; ospreys; owls; pheasants; robins; swallows; terns.

bitterbrush (*Purshia tridentata*)
nitrogen fixation: Krebill and Muir, 1974. 48: 266-268.

bitterbrush-cheatgrass communities
primary production: Rickard and Sauer, 1982b. 56: 250-256.
and small mammals: Gano and Richard, 1982. 56: 1-7.
see also cheatgrass communities; plant communities.

"black-crust" phenomenon, Al.
Worley, 1973. 47: 20-29.

Blake Island Marine State Park, Wa.
deer: Amaral, 1978. 52: 233-235.

bluegrass (*Poa secunda*)
variation: Heidel, Christy, and Gilmartin, 1982. 56: 108-120.

bobcats (*Lynx rufus*)
food habits: Nussbaum and Maser, 1975. 49: 261-266.
———: Toweill, 1982. 56: 310-315.

botanists
early: Thatcher, 1980. 54: 81-91.

branding
of slugs: Richter, 1973. 47: 109-113.
see also tagging

Bridger Ridge, Mo.
plant cover: Weaver and Perry, 1978. 52: 212-219.

British Columbia
disjunct plant populations: Selby and Pitt, 1982. 56: 268-275.
grizzly bears: Layser, 1978. 52: 77-91.
heron nesting colonies: Mark, 1976. 50: 32-41.
mountain caribou: Johnson, 1976a. 50: 97-101.
———: Johnson and Miller, 1979. 53: 114-117.
ruminant habitat use: Hudson, 1977. 51: 101-110.
soil nitrogen: Wikeem and Pitt. 1982. 56: 276-286.
stone sheep habitat: Lord and Luckhurst, 1974. 48: 38-51.
tusock moths: Edmonds, 1979. 53: 283-288.
vegetation on coal: Nicholson and Bell, 1981. 55: 235-244.

brodiaea
intraspecific variation (*B. douglasii*): Barkworth, 1977a. 51: 79-90.
taxonomy (*B. howellii*): Barkworth, 1977b. 51: 139-148.

bromegrass (*Bromus japonicus*)
variation: Heidel, Christy, and Gilmartin, 1982. 56: 108-120.

bryophytes
in Idaho forests: Steele, 1978. 52: 310-322.
in Oregon oak forests: Pike, 1973. 47: 149-158.

bryozoans
cheilostome ectoprocts: McCain and Ross, 1974. 48: 9-16.
———: Ross and McCain, 1976. 50: 160-171.

burning
see fires.

caddisflies (Trichoptera)
in Montana: Roemhild, 1982. 56: 8-13.

California
northern, Cascade frogs: Bury, 1973. 47: 228-229.
———, ospreys: Henny, Dunaway, Mallette, and Koplin, 1978. 52: 261-271.
see also Coast Range; Mount Shasta.

Canyon Ferry Reservoir, Mo.
nitrogen and phosphorus levels: Rada and Wright, 1979. 53: 213-220.

caribou
mountain (*Rangifer tarandus*), reproduction: Johnson and Miller, 1979. 53: 114-117.
———, survival: Johnson, 1976a. 50: 97-101.
see also ruminants.

carnivores
see badgers; bears; bobcats; coyotes; ferrets; foxes; raccoons; skunks; wolverines.

Cascade Mountains
Oregon, bobcats: Nussbaum and Maser, 1975. 49: 261-266.
———, geomorphology: Swanson and James, 1975. 49: 1-11.
———, non-forest vegetation: Hickman, 1976. 50: 145-155.
———, plant communities: Hawk, 1979. 53: 200-212.
———, Pleistocene forest: Gottesfeld, Swanson, and Gottesfeld, 1981. 55: 157-167.
Washington, geology: Gresens, 1982a. 56: 218-229.
———, geology: Gresens, 1982b. 56. 259-264.
———, plant ecology: Taylor and Douglas, 1978. 52: 35-50.
———, thrust plates: Miller, 1979. 53: 229-241.
———, treeless forest areas: Ewing, 1982. 56: 180-189.

caves
ecology: Nixon, 1975. 49: 65-70.
geohydrology: Campbell, 1977. 51: 1-12.

ceanothus
redstem (*C. sanguineus*): Leege and Hickey, 1975. 49: 58-64.

cedar
Alaska (*Chamaecyparis nootkatensis*): Frenkel, 1974. 48: 29-37.
western red (*Thuja plicata*): Habeck, 1978. 52: 67-76.

centipedes
in landfill: Crawford, 1979. 53: 51-53.

cestodes
see platyhelminths

cetaceans
fossil: Orr and Faulhaber, 1975. 49: 174-181.

chaoboridae
predation by: Anderson, 1981. 55: 113-123.

cheatgrass communities (*Bromus tectorum*)
and beetles: Rickard, Cline, and Gilbert, 1974. 48: 96-101.
and grasshoppers: Rogers and Uresk, 1974. 48: 230-234.
growth and soil: Rickard, Cline, and Gilbert, 1973b. 47: 213-217.
and invertebrates: Rogers and Woodley, 1978. 52: 100-103.
and plowing: Rickard and Cline, 1980. 54: 216-221.
on slopes: Rickard and Warren, 1981a. 55: 40-43.
and small animals: Gano and Rickard, 1982. 56: 1-7.
see also bitterbrush-cheatgrass communities; plant communities.

Chenopodiaceae
see greasewood; shadscale.

chiggers (*Euschoengastia numerosa*)
human infestation: Bacon, 1981. 55: 304.
see also mites.

Chilcotin Mountains, B.C.
disjunct plant populations: Selby and Pitt, 1982. 56: 268-275.

chinquapins
golden (*Chrysolepsis chrysophylla*), range: Kruckeberg, 1980. 54: 9-16.

chipmunks
western (*Eutamias*), identification: Maser, 1975. 49: 158-159.
see also mammals, small; rodents.

chironomids
in lake sediments: Wiederholm, 1979. 53: 251-256.

Chiwaukum graben
geology: Gresens, 1982a. 56: 218-229.
———: Gresens, 1982b. 56: 259-264.

clearcutting
effects: Bethlahmy, 1976. 50: 140-144.
and small mammals: Hooven and Black, 1976. 50: 189-208.
and voles: Hooven, 1973. 47: 256-264.
see also deforestation; fires; forests; logging.

Clearwater River
fish inventory: Maughan, 1976. 50: 76-86.

climate
microclimate: Rotenberry, Hinds, and Thorp, 1976. 50: 122-130.
variations in Holocene: Casteel and Beaver, 1978. 52: 337-342.
see also precipitation.

coal tailings
plant reclamation: Nicholson and Bell, 1981. 55: 235-244.

Coast Range
California, Cascade frogs: Bury, 1973. 47: 228-229.
———, Holocene climate: Casteel and Beaver, 1978. 52: 337-342.
Oregon, bobcats: Nussbaum and Maser, 1975. 49: 261-266.
———, stream management: Beschta, 1979. 53: 71-77.
Washington, Pacific silver fir: Murray and Treat, 1980. 54: 119-120.

Coeur d'Alene River
heavy metal pollution in basin: Rabe and Bauer, 1977. 51: 183-197.
pollution and invertebrates: Savage and Rabe, 1973. 47: 159-168.

cold
see climate; temperature.

coleoptera
see beetles.

Colorado
watersheds and timber: Bethlahmy, 1975. 49: 95-105.

Columbia basin, Wa.
lomatium in human diet: Hunn and French, 1981. 55: 87-94.
modern pollen spectra: Mack and Bryant, 1974. 48: 183-194.
mollusc use: Lyman, 1980. 54: 121-136.
precipitation variability: Helvey and Fowler, 1982. 56: 27-33.

Columbia River
bird population: Thompson and Tabor, 1981. 55: 209-218.
chinook salmon, albino: Dauble, Gray, Hanf, and Poston, 1978. 52: 108-109.
———, diet: Dauble, Gray, and Page, 1980. 54: 253-258.
fish population: Gray and Dauble, 1977. 51: 208-215.
fish temperature tolerance: Blahm and Snyder, 1975. 49: 267-270.
food webs: Cushing, 1979. 53: 118-125.
non-fisheries resources: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
smallmouth bass: Montgomery, Fickeisen, and Becker, 1980. 54: 296-305.

Columbia River basalt
interbed paleoecology: Barnett and Fisk, 1980. 54: 259-278.
regional jointing: Lawrence, 1979. 53: 33-42.

communities
see animal communities; plant communities.

Compositae
see balsam-root; gumweed; sagebrush; *Saussurea*.

computers
and forest research: Marshall and Deitschman, 1976. 50: 231-235.

conditioning
raccoon aversion: Nicolaus, Hoffman, and Gustavson, 1982. 56: 165-169.

Coos Bay, Or.
plant production: Hoffnagle, 1980. 54: 68-79.

coots
American (*Fulica americana*): Fitzner, Sipco, and Schreckhise, 1980. 54: 244-252.
see also birds.

corn
see sweet corn

cottontails
see rabbits.

coyotes (*Canis latrans*)
activities and ranges: Woodruff and Keller, 1982. 56: 199-207.
endoparasites: Foreyt and Foreyt, 1982. 56: 14-16.
feeding: Van Vuren and Thompson, 1982. 56: 131-135.
speed: Thompson, 1976. 50: 181-182.
temperature adaptation: Ogle and Farris, 1973. 47: 70-74.

crabs
shore (*Hemigrapsus oregonensis*): Batie, 1982a. 56: 20-26.
———: Batie, 1982b. 56: 241-249.

crangonids
see shrimps.

Crater Lake National Park, Or.
fleas on mammals: Gresbrink and Hopkins, 1982. 56: 176-179.
forest studies: McNeil and Zobel, 1980. 54: 30-46.

craters
polygonalism: Matthees and Daneš, 1974. 48: 205-210.

crustaceans
see crabs; shrimps; zooplankton.

Cupressaceae
see cedar; juniper.

cyclostomes
see lampreys.

DDT
residues in bats: Henny, Maser, Whitaker, and Kaiser, 1982. 56: 329-337.

dams
impoundment and animals: Lewke and Buss, 1977. 51: 219-270.
Yellowtail dam: Soltero, Wright, and Horpestad, 1974. 48: 107-125.

daylength experiments
birds: Kemper and Taylor, 1982. 56: 53-57.

Deadhorse Cave, Wa.
ecology: Nixon, 1975. 49: 65-70

deer (*Odocoileus*)
black-tailed (*O. hemionus columbianus*), fat: Coblentz, 1979. 53: 221-223.
———, foraging: Hanley, 1982. 56: 208-217.
———, forests: Amaral, 1978. 52: 233-235.
———, natality: Jordan and Vohs, 1976. 50: 108-113.
mule (*O. hemionus hemionus*), habits: Uresk and Uresk, 1982. 56: 138-147.
———, horseflies: Collins and Urness, 1982. 56: 299-302.
———, fawn tagging: Hedlund, 1975. 49: 153-157.
mule (*O. hemionus*), subspecies: Nellis, Fairbanks, Terry, and Taber, 1974a. 48: 66-71.
white-tailed (*O. virginianus*), hunting: Will, 1973b. 47: 250-254.
———, population: Will, 1973a. 47: 114-122.
see also ruminants.

deforestation
effects: Bethlahmy, 1975. 49: 95-105.
see also clearcutting; fires; forests; logging.

deformation
see multiple deformation.

dens
badger: Lindzey, 1976. 50: 178-180.
black bear: Lindzey and Meslow, 1976. 50: 236-242.

Deschutes River
sculpins: Bisson, 1977. 51: 43-45.

deserts
mice: Halford, 1981. 55: 44-49.
revegetation: Rickard and Sauer, 1982. 56: 41-47.

diatoms
and river sewage: Williams and Soltero, 1978. 52: 186-194.

diptera
chaoboridae: Anderson, 1981. 55: 113-123.

dogbane (*Apocynum androsaemifolium*)
phenology: Fowler and Tiedemann, 1980. 54: 17-25.

douglas-firs (*Pseudotsuga menziesii*)
community diversity: Long, 1977. 51: 119-130.
dwarf mistletoe: Tinnin, Paquet, and Knutson, 1976. 50. 1-7.
———: Wicker, 1974. 48: 239-244.
growth and light: Emmingham and Waring, 1973. 47: 88-99.
litter: Rickard, 1975b. 49: 183-189.
litter and soil: Vogt and Edmonds, 1982. 56: 83-89. ....
tussock moths: Edmonds, 1979. 53: 283-288.
voles: Hooven, 1973. 47: 256-264.
see also firs.

drought
and steppe shrubs: Rickard and Warren, 1981b. 55: 108-112.
see also climate; precipitation.

ducks
mallard (*Anas platyrhynchos*): Jarvis and Furniss, 1978. 52: 292-302.
see also birds.

eagles
bald (*Haliaeetus leucocephalus*), Washington: Stalmaster, Newman, and Hansen, 1979. 53: 126-131.
———, Wyoming: Davenport and Weaver, 1982. 56: 79-82.
see also birds.

ecology
Great Basin: Vreeland, Lugaski, and Vreeland. 1979. 53: 180-189.
microbial: Tison and Kleyn, 1979. 53: 58-62.
paleoecology: Barnett and Fisk, 1980. 54: 259-278.
plant production: Hoffnagle, 1980. 54: 68-79.
random sampling in: Mitchell and Hatch, 1981. 55: 168-173.

ectoparasites
on aplodontia: Whitaker, Maser, and Wallace, 1979a. 53: 264-267.
on birds: Haas, Rumfelt, and Wilson, 1980. 54: 210-215.
on fish: Kan and Bond, 1981. 55: 70-74.
on man: Bacon, 1981. 55: 304.
on moles: Whitaker, Maser, and Pedersen, 1979b. 53: 268-273.
on rodents: Maser and Whitaker, 1980. 54: 279-280.
on shrews: Whitaker, Tieben, and Maser, 1980. 54: 26-29.
on small mammals: Gresbrink and Hopkins, 1982. 56: 176-179.
on Virginia opossums: Hopkins, 1980. 54: 199-201.
on voles: Whitaker and Maser, 1979. 53: 224-227.

ectoprocta
cheilostome: McCain and Ross, 1974. 48: 9-16.
———: Ross and McCain, 1976. 50: 160-171.

education
college science course grading: Stronck, 1981. 55: 23-25.

eigenvalue analysis
Weber, 1975. 49: 201-208.

elasticity
Weber, 1975. 49: 201-208.

elk (*Cervus elaphus nelsoni*)
browse: Leege, 1979. 53: 107-113.
foraging constraints: Hanley, 1982. 56: 208-217.
and horseflies: Collins and Urness, 1982. 56: 299-302.
range shrub phenology: Orme and Leege, 1980. 54: 187-198.
see also ruminants.

endoparasites
in coyotes: Foreyt and Foreyt, 1982. 56: 14-16.
in fish: Mitchell, 1978. 52: 236-242.
in small mammals: Lang, Dronen, Rachford, and Gleason, 1974. 48: 125-131.

energy conservation
and transportation: Dickinson, 1974. 48: 145-165.

Enumclaw, Wa.
gravity study: Campbell and Johnson, 1982. 56: 90-100.

Ericaceae
see huckleberries

eriogonum (*E. thymoides*)
in Washington: Rickard, Klepper, Sauer, and Thorp, 1978: 52: 110-118.

exercise
and fish: Schneider, Connors, Genoway, and Barraclough, 1981. 55: 62-69.

Fagaceae
see chinquapins; oaks.

ferrets
black-footed (*Mustela nigripes*): Clark, 1980. 54: 47-54.
see also mammals, small.

fertilizers
leaching and plant growth: Baker and Mortensen, 1973. 47: 61-65.
urea and forest mice: Postovit, 1976. 50: 87-96.
urea and forest soils: Johnson, 1979. 53: 22-32.

fires
and aplodontia populations: Motobu, 1978. 52: 92-99.
and deer mice populations: Halford, 1981. 55: 44-49.
and elk browse: Leege, 1979. 53: 107-113.
and forest soil moisture: Bethlahmy, 1976. 50: 140-144.
and forests: McNeil and Zobel, 1980. 54: 30-46.
Olympic National Park: Pickford, Fahnestock, and Ottmar, 1980. 54: 92-105.
and plant succession: Daubenmire, 1975b. 49: 36-48.
and shrub regrowth: Owens, 1982. 56: 34-40.
and soil water repellency: DeByle, 1973. 47: 77-87.
see also clearcutting; forests; logging.

firs (*Abies*)
grand (*A. grandis*), decay: Frederick and Partridge, 1977. 51: 282-292.
———, seedling resistance: Seidel, 1974. 48: 195-202.
———, succession: Antos and Habeck, 1981. 55: 26-39.
growth and light: Emmingham and Waring, 1973. 47: 88-99.
noble (*A. procera*): Scurlock, Mitchell, and Ching, 1982. 56: 101-107.
Pacific silver (*A. amabilis*): Murray and Treat, 1980. 54: 119-120.
subalpine (*A. lasiocarpa*) Worley and Jaques, 1973. 47: 265-273.
white (*A. concolor*), decay: Frederick and Partridge, 1977. 51: 282-292.
———, forest history: McNeil and Zobel, 1980. 54: 30-46.
see also douglas-firs.

fish
by artificial reef: Patten, 1981. 55: 136-144.
in Columbia River: Gray and Dauble, 1977. 51: 208-215.
endoparasites: Mitchell, 1978. 52: 236-242.
fossil: Casteel, 1974. 48: 175-179.
———: Linder and Koslucher, 1974. 48: 180-182.
heavy metal uptake: Rabe and Bauer, 1977. 51: 183-197.
intertidal: Bayer, 1981. 55: 182-193.
inventories, Clearwater River: Maughan, 1976. 50: 76-86.
———, Hangman Creek: Laumeyer and Maughan, 1973. 47: 66-69.
———, Hangman Creek: Maughan and Laumeyer, 1974. 48: 172-174.
———, Palouse River: Maughan, and Edmundson, Farris, and Wallace, 1980. 54: 5-8.
and logging: Pella and Myren, 1974. 48: 132-144.
mercury uptake: Rasmussen and Williams, 1975. 49: 87-94.
methyl mercury uptake: Larson, 1977. 51: 131-137.
nursery areas: Laroche and Holton, 1979. 53: 94-96.
otoliths: Casteel, 1974. 48: 175-179.
reproduction: Daggett, 1981. 55: 1-9.
scales: Casteel, 1973. 47: 230-238.
stream clearance for: Beschta, 1979. 53: 71-77.
temperature tolerance: Ames, Hughes, and Slusser, 1978. 52: 285-291.
———: Blahm and Snyder, 1975. 49: 267-270.
see also bass; perch; pipefish; rockfish; salmon; sculpins; sole; squawfish; sticklebacks; trout; tube-snout; whitefish.

Flathead Lake and River, Mo.
fungi: Cooke, 1977b. 51: 172-182.
lake algal growth: Perry and Stanford, 1982. 56: 48-52.
lake typology: Newell, Andersen, and Hanzel, 1978. 52: 119-126.

flatworms
see platyhelminths

fleas
on small mammals: Gresbrink and Hopkins, 1982. 56: 176-179.
on swallows: Haas, Rumfelt, and Wilson, 1980. 54: 210-215.
on Virginia opossums: Hopkins, 1980. 54: 199-201.

flora
see plant inventories

foliage
nutrients: Will and Youngberg, 1979. 53: 274-276.

food webs
and trace elements: Cushing, 1979. 53: 118-125.

foraminifera
recent benthonic: Scott, 1974. 48: 211-218.

forest communities
Idaho: Habeck, 1978. 52: 67-76.
Oregon: Mitchell and Moir, 1976. 50: 42-58.

forest litter
rain interception: Reynolds and Knight, 1973. 47: 50-60.
under douglas-firs: Rickard, 1975b. 49: 183-189.
———: Vogt and Edmonds, 1982. 56: 83-89.

forest management
stream debris removal: Beschta, 1979. 53: 71-77.
thinning: Gary, 1978. 52: 303-309.
water supply: Bethlahmy, 1974. 48: 1-8.
see also clearcutting; fires; logging; watersheds.

forest pests
bark beetles: Bethlahmy, 1975. 49: 95-105.
control effects: Henny, Maser, Whitaker, and Kaiser, 1982. 56: 329-337.
pleocoma beetles: Fellin, 1975. 49: 71-86.
tussock moths: Edmonds, 1979. 53: 282-288.

forest research
computerization: Marshall and Deitschman, 1976. 50: 231-235.
post-stratification techniques: Nokoe and Kozak, 1981. 55: 263-268.
volume-age function: Nokoe and Zozak, 1979. 53: 12-17.

forests
ancient: Gottesfeld, Swanson, and Gottesfeld, 1981. 55: 157-167.
and aplodontia: Motobu, 1978. 52: 92-99.
———, Neal and Borrecco, 1981. 55: 79-86.
and birds: Peterson, 1982. 56: 287-298.
bryophytes: Steele, 1978. 52: 310-322.
decay: Frederick and Partridge, 1977. 51: 282-292.
and deer: Amaral, 1978. 52: 233-235.
———: Jordan and Vohs, 1976. 50: 108-113.
fires: McNeil and Zobel, 1980. 54: 30-46.
———: Pickford, Fahnestock, and Ottmar, 1980. 54: 92-105.
growth: Schroeder, McCandlish, Waring, and Perry, 1982. 56: 121-130.
natural deforestation: Bethlahmy, 1975. 49: 95-105.
silicone antitranspirants: Johnson, 1976b. 50: 156-159.
and small mammals: Hooven and Black, 1976. 50: 189-208.
and soil nutrients: Grigal, 1979. 53: 43-50.
and steppes: Daubenmire, 1975c. 49: 122-140.
succession: Antos and Habeck, 1981. 55: 26-39.
———: Hawk and Zobel, 1974. 48: 245-265.
and treeless areas: Daubenmire, 1981. 55: 124-135.
———: Ewing, 1982. 56: 180-189.
understory: Wilcox, Brotherson, and Evenson, 1981. 55: 194-201.
and urea fertilization: Johnson, 1979. 53: 22-32.
———: Postovit, 1976. 50: 87-96.
and voles: Hooven, 1973. 47: 256-264.
see also clearcutting; fires; logging; thinning.

fossils
cetaceans: Orr and Faulhaber, 1975. 49: 174-181.
fish: Casteel, 1974. 48: 175-179.
———: Linder and Koslucher, 1974. 48: 180-182.
giant tortoise: Fry, 1973. 47: 239-249.

foxes
red (*Vulpes vulpes*), karyotype: Rausch and Rausch, 1979. 53: 54-57.

freeze branding
of slugs: Richter, 1973. 47: 109-113.
see also tagging.

frogs
Cascade (*Rana cascadae*): Bury, 1973. 47: 228-229.
diets: Miller, 1978. 52: 243-249.
red-legged (*Rana aurora*): Brown, 1975. 49: 241-252.
see also amphibians.

fungi
Ambrosia: Roeper and French, 1981. 55: 305-309.
Armillaria mellea: Adams, 1974. 48: 21-28.
———: Shaw, 1980. 54: 137-145.
Phellinus weirii: Hutchins and Li, 1981. 55: 219-224.
———: Nelson and Fay, 1975. 49: 119-121.
rhodophylloid: Largent, 1974a. 48: 52-56.
———: Largent, 1974b. 48: 57-65.
in river basin water: Cooke, 1977b. 51: 172-182.
small animal consumption of: Fogel and Trappe, 1978. 52: 1-31.

Gallatin River, Mo.
suspended solids: Klages, Logan, and Hsieh, 1973. 47: 203-212.

game-farms
pheasants: Jarvis and Engbring, 1976. 50: 222-230.

Garnet Mountain, Or.
plant communities and soils: Goldin and Nimlos, 1977. 51: 149-160.

gases
dissolved, and fish: Bentley and Dawley, 1981. 55: 50-61.

geohydrology
Lost Creek cave system: Cambell, 1977. 51: 1-12.
Palouse: Ichimura and Crosby, 1981. 55: 10-22.

geologists
early paleontologist: Lewis, 1982. 56: 58-61.

geology
drainage, Lewiston basin: Kehew, 1979. 53: 242-250.
environmental, Baker valley: Heller and Dethier, 1981. 55: 145-155.
general, Snake River canyon: White, 1974. 48: 72-79.
paleoecology, Palouse: Barnett and Fisk, 1980. 54: 259-278.
sedimentary, central Washington: Gresens, 1982b. 56: 259-264.
———, Gallatin River: Klages, Logan, and Hsieh, 1973. 47: 203-212.
———, geochronology: Martin and Rice, 1981. 55: 269-280.
———, Mount Ranier glaciers: Mills, 1979. 53: 190-199.
structural, bedding/cleavage: Watkinson and Bressler, 1979. 53: 1-4.
———, central Washington: Gresens, 1982a. 56: 218-229.
———, central Washington: Gresens, 1982b. 56: 259-264.
———, joint analysis: Thole and Mills, 1979. 53: 141-156.
———, multiple deformation: Mills and Nordstrom, 1973. 47: 185-202.
———, regional jointing: Lawrence, 1979. 53: 33-42.
———, thrust plates: Miller, 1979. 53: 229-241.
see also fossils.

geomorphology
western Cascades: Swanson and James, 1975. 49: 1-11.

geophysical surveys
Washington, Cheney quadrangle: Yost and Steele, 1978. 52: 250-260.
———, south-central: Koníček, 1975: 49: 106-117.
———, western: Campbell and Johnson, 1982. 56: 90-100.

Glacier Bay, Al.
"black-crust" phenomenon: Worley, 1973. 47: 20-29.

glaciers
erosion: Mills, 1979. 53: 190-199.
moraine lake: Larson, 1981. 55: 95-107.
vegetation: Noble, 1978. 52: 351-357.

goatweed (*Hypericum perforatum*)
biological control: Tisdale, 1976. 50: 61-75.

Gompertz model
volume-age function: Nokoe and Kozak, 1979. 53: 12-17.

Gramineae
see bluegrass; bromegrass; cheatgrass; grasses; wheatgrass.

Grand Teton National Park, Wy.
deer mice: Clark, 1975b. 49: 14-16.
grizzly bears: Hoak, Clark, and Wood, 1981. 55: 245-247.
ground squirrels: Clark and Russell, 1977. 51. 36-42.
sagebrush vegetation: Sabinske and Knight, 1978. 52: 195-204.
shrews: Clark, 1973. 47: 128-131.
western jumping mice: Clark, 1975a. 49: 12-13.

grasses
in pika hay piles: Elliott, 1980. 54: 207-209.
see also Gramineae.

grasshoppers
migratory (*Melanoplus sanguinipes*): Rogers and Uresk, 1974. 48: 230-234.

gravity surveys
see geophysical surveys.

grazing
and birds: Reynolds and Trost, 1981. 55: 225-234.

greasewood (*Sarcobatus vermiculatus*)
germination: Eddleman, 1979. 53: 289-294.
and soils: Cline and Rickard, 1974. 48: 235-238.

Great Basin, Ne.
ecology: Vreeland, Lugaski, and Vreeland, 1979. 53: 180-189.

ground waters
and uranium: Ichimura and Crosby, 1981. 55: 10-22.

gulls (*Larus*)
Upper Columbia River: Thompson and Tabor, 1981. 55: 209-218.
see also birds.

gumweed (*Grindelia*)
curly cup (*G. squarrosa*), polymorphism: McDonough, 1975. 49: 190-200.

Guttiferae
see goatweed.

habitats
ruminant utilization: Hudson, 1977. 51: 101-110.
vertebrate, hypothesis: Guthrie, 1978. 52: 171-178.

halophytes
and soil: Cline and Rickard, 1974. 48: 235-238.
———: Rickard, Cline, and Gilbert, 1973b. 47: 213- 217.

hamsters
endoparasites: Lang, Dronen, Rachford, and Gleason, 1974. 48: 125-131.

Hanford Reservation, Wa.
bass production: Montgomery, Fickeisen, and Becker, 1980. 54: 296-305.
bitterbrush-cheatgrass community: Gano and Rickard, 1982. 56: 1-7.
———: Rickard and Sauer, 1982b. 56: 250-256.
darkling beetles: Rogers and Fitzner, 1980. 54: 202-206.
desert revegetation: Rickard and Sauer, 1982a. 56: 41-47.
invertebrate populations: Rogers and Woodley, 1978. 52: 100-103.
mouse populations: Hedlund, McCullugh, and Rickard, 1975. 49: 253-260.
———: Hedlund and Rogers, 1980. 54: 153-159.
non-fisheries resources: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
sagebrush community: Cline, Uresk, and Rickard, 1977. 51: 60-70.
soil and halophytes: Rickard, Cline, and Gilbert, 1973. 47: 213-217.
see also Arid Lands Ecology Reserve.

Hangman Creek, Id. and Wa.
fish inventories: Laumeyer and Maughan, 1973. 47: 66-69.
———: Maughan and Laumeyer, 1974. 48: 172-174.

hawks
in coulee: Knight and Smith, 1982. 56: 303-309.

haypiles
made by pika: Elliott, 1980. 54: 207-209.

heat
see climate; temperature.

heavy metals
in invertebrates: Savage and Rabe, 1973. 47: 159-168.
in lakes: Rabe and Bauer, 1977. 51: 183-197.
tissue analysis for: Kendall and Scanlon, 1982. 56: 265-267.
see also mercury; pollution.

hemlock (*Tsuga*)
dwarf mistletoe on western (*T. heterophylla*): Smith, 1973. 47: 9-19.

Henderson, Louis F. (1853-1942)
botanist: Thatcher, 1980. 54: 81-91.

herbicides
and small mammals: Borrecco, Black, and Hooven, 1979. 53: 97-106.

herons
great blue (*Ardea herodias*), breeding: Collazo, 1981. 55: 293-297.
———, nesting colonies: Mark, 1976. 50: 32-41.
nesting populations: Thompson and Tabor, 1981. 55: 209-218.
see also birds.

Heyburn State Park, Id.
great blue herons: Collazo, 1981. 55: 293-297.

Holocene temperatures
variation: Casteel and Beaver, 1978. 52: 337-342.

horseflies
and deer and elk: Collins and Urness, 1982. 56: 299-302.

horses
and mineral licks: Salter and Pluth, 1980. 54: 109-118.

hot springs
microbial ecology: Tison and Kleyn, 1979. 53: 58-62.

Howell, Thomas J. (1842-1912)
botanist: Thatcher, 1980. 54: 81-91.

huckleberries (*Vaccinium*)
seedling frost tolerance: Minore and Smart, 1978. 52: 179-185.

hydrogen sulfide
from Mount Ranier: Kiver, Snavely, and Snavely, 1977. 51: 31-35.

hypericum
biological control (*H. perforatum*): Tisdale, 1976. 50: 61-75.

Idaho
central, forest bryophytes: Steele, 1978. 52: 310-322.
———, forest decay: Frederick and Partridge, 1977. 51: 282-292.
———, pika hay piles: Elliott, 1980. 54: 207-209.
northern, drainage: Kehew, 1979. 53: 242-250.
———, elk browse: Leege, 1979. 53: 107-113.
———, elk range: Orme and Leege, 1980. 54: 187-198.
———, forest birds: Peterson, 1982. 56: 287-298.
———, grizzly bears: Layser, 1978. 52: 77-91.
———, ground water: Ichimura and Crosby, 1981. 55: 10-22.
———, heavy metal pollution: Rabe and Bauer, 1977. 51: 183-197.
———, herons: Collazo, 1981. 55: 293-297.

Idaho (*continued*)
———, plant records: Johnson and Steele, 1978. 52: 205-211.
———, redstem ceanothus: Leege and Hickey, 1975. 49: 58-64.
———, shrubs: Wittinger, Pengelly, Irwin, and Peek, 1977. 51: 161-171.
———, shrubs and fire: Owens, 1982. 56: 34-40.
———, treeless parks: Daubenmire, 1981. 55: 124-135.
———, weed control: Tisdale, 1976. 50: 61-75.
———, white-tailed deer: Will, 1973a. 47: 114-122.
———, white-tailed deer: Will, 1973b. 47: 250-254.
southeastern, birds: Reynolds and Trost, 1981. 55: 225-234.
———, coyotes: Woodruff and Keller, 1982. 56: 199-207.
———, desert repopulation: Halford, 1981. 55: 44-49.
southwestern, fossil fish: Linder and Koslucher, 1974. 48: 180-182.
see also Big Lost River; Coeur d'Alene River; Hangman Creek; Heyburn State Park; Lewiston basin; National Reactor Testing Station; Palouse; Pullman-Moscow basin; Salmon River; Selkirk Mountains; Selway-Bitterroot wilderness; Snake River; Teton River.

impoundment
dams and animals: Lewke and Buss, 1977. 51: 219-270.

insecticides
see pest control.

insectivores
see moles; shrews.

insects
chaoboridae: Anderson, 1981. 55: 113-123.
in cheatgrass: Rogers and Woodley, 1978. 52: 100-103.
intertidal: Stock, 1980. 54: 168-177.
in landfill: Crawford, 1979. 53: 51-53.
in salmon diet: Dauble, Gray, and Page, 1980. 54: 253-258.
and seed production: Scurlock, Mitchell, and Ching, 1982. 56: 101-107.
see also beetles; caddisflies; fleas; grasshoppers; horseflies; moths.

invertebrates
community density: Rogers and Woodley, 1978. 52: 100-103.
and mercury uptake: Rasmussen and Williams, 1975. 49: 87-94.
and river pollution: Savage and Rabe, 1973. 47: 159-168.
see also arthropods; molluscs; nematodes; platyhelminths.

islands
feral rabbits: Hall, 1977. 51: 293-297.

Jackson Hole, Wy
bald eagles: Davenport and Weaver, 1982. 56: 79-82.

joint analysis
magnesite belt, Wa.: Thole and Mills, 1979. 53: 141-156.

Juan de Fuca Strait
fish reproduction: Daggett, 1981. 55: 1-9.

juniper communities (*Juniperis occidentalis*)
and sand dunes: Long, Schreiner, and Manuwal, 1979. 53: 170-179.

karyotypes
red fox: Rausch and Rausch, 1979. 53: 54-57.

Kenai National Moose Range, Al.
small mammals: Fuller, 1981. 55: 298-303.

Klamath Lake, Upper, Or.
sediment geochronology: Martin and Rice, 1981. 55: 269-280.

"knob and kettle" topography
mice: Hedlund, McCullugh, and Rickard. 1975. 49: 253-260.
vegetation: Rickard, 1975a. 49: 147-152.

Kootenay Arc
bedding/cleavage relationships: Watkinson and Bressler, 1979. 53: 1-4.
multiple deformation: Mills and Nordstrom, 1973. 47: 185-202.

Kootenay Pass, B.C.
mountain caribou: Johnson, 1976a. 50: 97-101.

lagomorphs
see pikas; rabbits.

Lake Euwana, Or.
sediment geochronology: Martin and Rice, 1981. 55: 269-280.

Lake Sammamish, Wa.
bottom fauna: Wiederholm, 1976. 50: 23-31.

Lake Washington, Wa.
chironomid remains: Wiederholm, 1979. 53: 251-256.
pollen studies and land use: Davis, 1973. 47: 133-148.

lakes
algal growth: Perry and Stanford, 1982. 56: 48-52.
bottom fauna: Newell, Andersen and Hanzel, 1978. 52: 119-126.
———: Wiederholm, 1976. 50: 23-31.
chironomid remains: Wiederholm, 1979. 53: 251-256.
fungi: Cooke, 1977b. 51: 172-182.
heavy metal pollution: Rabe and Bauer, 1977. 51: 183-197.
limnology, Montana: Newell, Andersen, and Hanzel, 1978. 52: 119-126.
———, Montana: Rada and Wright, 1979. 53: 213-220.
———, Montana: Soltero, Wright, and Horpestad, 1974. 48: 107-124.
———, Washington: Bauman and Soltero, 1978. 52: 127-136.
mercury uptake by fish: Larson, 1977. 51: 131-137.
newts: Marangio, 1978. 52: 343-350.
oligotrophy: Larson, 1981. 55: 95-107.
pathogenic bacteria: Bacon, 1982. 56: 136-137.
reservoirs, limnology: Rada and Wright, 1979. 53: 213-220.
———, sagebrush: Manuwal, 1977. 51: 94-100.
———, zooplankton: Graham, Soltero, and Gasperino, 1979. 53: 159-169.
sediment geochronology: Martin and Rice, 1981. 55: 269-280.
see also Bighorn Lake; Canyon Ferry Reservoir; Flathead Lake; Klamath Lake; Lake Euwana; Lake Sammamish; Lake Washington; Long Lake; Medical Lake; Miller Lake; Wallowa Lake; Wildcat Lake.

lampreys
Miller Lake (*Lampetra minima*), extinct: Kan and Bond, 1981. 55: 70-74.

land use
and pollen studies: Davis, 1973. 47: 133-148.

landfill
and arthropods: Crawford, 1979. 53: 51-53.

lepidoptera
see moths

Lewiston basin
drainage history: Kehew, 1979. 53: 242-250.

lichens
and air pollution: Johnson, 1979. 53: 257-263.
in oak forest: Pike, 1973. 47: 149-158.

licks
for feral horses: Salter and Pluth, 1980. 54: 109-118.

Liliaceae
see brodiaea

limnology
Bighorn Lake: Soltero, Wright, and Horpestad, 1974. 48: 107-124.
Canyon Ferry Reservoir: Rada and Wright, 1979. 53: 213-220.
Flathead Lake: Newell, Andersen, and Hanzel, 1978. 52: 119-126.
Medical Lake: Bauman and Soltero, 1978. 52: 127-136.

litter
see forest litter.

lizards
food habits: Whitaker and Maser, 1981. 55: 202-208.
side-blotched (*Uta stansburiana*): Nussbaum and Diller, 1976. 50: 243-260.
see also reptiles

Logan River, Ut.
trout: Bernard and Israelsen, 1982. 56: 148-158.

logging
and salmon production: Pella and Myren, 1974. 48: 132-144.
and shrubs: Wittinger, Pengelly, Irwin, and Peek, 1977. 51: 161-171.
and soil water repellency: DeByle, 1973. 47: 77-87.
weight-scaling improvements: Nokoe and Kozak, 1981. 55: 263-268.
see also clearcutting; fires; forests; thinning.

lomatium
in native American diet: Hunn and French, 1981. 55: 87-94.

Long Island, Wa.
black bear dens: Lindzey and Meslow, 1976. 50: 236-242.

Long Lake, Wa.
zooplankton dynamics: Graham, Soltero, and Gasperino, 1979. 53: 159-169.

Loranthaceae
see mistletoe

Lower Granite Dam, Wa.
impoundment and animals: Lewke and Buss, 1977. 51: 219-270.

McDonald State Forest, Or.
black-tailed deer: Jordan and Vohs, 1976. 50: 108-113.

McKenzie River valley, Or.
forest succession: Hawk and Zobel, 1974. 48: 245-265.

magnesite belt
Stevens County, Wa.: Thole and Mills, 1979. 53: 141-156.

Malheur National Wildlife Refuge, Or.
mallard ducks: Jarvis and Furniss, 1978. 52: 292-302.

mammals
Hanford populations: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
subspecies: Nellis, Fairbanks, Terry, and Taber, 1974a. 48: 66-71.
Wyoming: Casey and Clark, 1978. 52: 272-275.
———, bibliography: Clark, Saab, and Casey, 1980. 54: 55-67.
see also aplodontia; badgers; bears; bobcats; caribou; coyotes; deer; elk; foxes; horses; mammals, small; porcupines; seals; sheep; skunks; wolverines.

mammals, small
and antitranspirants: Johnson, 1976b. 50: 156-159.
in bitterbrush-cheatgrass: Gano and Rickard, 1982. 56: 1-7.
as bobcat prey: Toweill, 1982. 56: 310-315.
and clearcutting: Hooven, 1973. 47: 256-264.
———: Hooven and Black, 1976. 50: 189-208.
and dam impoundment: Lewke and Buss, 1977. 51: 219-270.
double captures: Feldhamer, 1977. 51: 91-93.
ectoparasites: Gresbrink and Hopkins, 1982. 56: 176-179.
———: Maser and Whitaker, 1980. 54: 279-280.
endoparasites: Lang, Dronen, Rachford, and Gleason, 1974. 48: 125-131.
fungal consumption by: Fogel and Trappe, 1978. 52: 1-31.
and herbicides: Borrecco, Black, and Hooven, 1979. 53: 97-106.
nocturnal tracking: Fisher and Cross, 1979. 53: 90-93.
population recovery: Halford, 1981. 55: 44-49.
populations, Alaska: Fuller, 1981. 55: 298-303.
———, Oregon: Hedlund and Rickard, 1976. 50: 172-177.
———, Washington: Hedlund, McCullugh, and Rickard, 1975. 49: 253-260.
———, Washington: Hedlund and Rogers, 1980. 54: 153-159.
———, Washington: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
in shrub-steppe communities: Rogers and Hedlund, 1980. 54: 183-186.
traps, disturbance: Hooven, Black, and Lowrie, 1979. 53: 79-81.
———, pitfall: Nellis, Terry, and Taber, 1974b. 48: 102-104.

———, sensitizing: Evans, 1975. 49: 160-162.
Wyoming, bibliograhy: Clark, Saab, and Casey, 1980. 54: 55-67.
see also aplodontia; bats; chipmunks; ferrets; hamsters; mice; moles; opossums; pikas; rabbits; raccoons; shrews; skunks; squirrels; voles; woodrats.

marking (animals)
see branding; tagging.

marshes
see saltmarshes.

marsupials
see opossums

mathematics
see eigenvalue analysis; statistics.

Medical Lake, Wa.
limnology: Bauman and Soltero, 1978. 52: 127-136.

mercury
grass seedling uptake: Landa, 1978. 52: 358-362.
lake fish uptake: Larson, 1977. 51: 131-137.
marine organism uptake: Rasmussen and Williams, 1975. 49: 87-94.
in Nooksack River sediments: Babcock and Kolby, 1973. 47: 180-184.
see also heavy metals; pollution.

metals
see heavy metals.

mice
deer (*Peromyscus maniculatus*), ecology: Clark, 1975b. 49: 14-16.
———, and fires: Halford, 1981. 55: 44-49.
———, subspecies: Nellis, Fairbanks, Terry, and Taber, 1974a. 48: 66-71.
———, and urea: Postovit, 1976. 50: 87-96.
jumping (*Zapus* sp), food: Jones, Whitaker, and Maser, 1978. 52: 57-60.
———, western (*Z. princeps utahensis*): Clark, 1975a. 49: 12-13.
pocket (*Perognathus parvus*): Dunigan, Lei, and Rickard, 1980. 54: 289-295.
———: Hedlund and Rogers, 1980. 54: 153-159.
populations: Hedlund, McCullugh, and Rickard, 1975. 49: 253-260.
see also mammals, small; rodents.

Miller Lake, Or.
lampreys: Kan and Bond, 1981. 55: 70-74.

mimicry
in snakes: Kardong, 1980. 54: 1-4.

mistletoe
dwarf (*Arceuthobium*), distribution: Tinnin, Paquet, and Knutson, 1976. 50: 1-7.
———, distribution: Wicker, 1974. 48: 239-244.
———, distribution: Zilka and Tinnin, 1976. 50: 8-16.
———, seed dispersal: Smith, 1973. 47: 9-19.

mites
on aplodontia: Whitaker, Maser, and Wallace, 1979a. 53: 264-267.
on moles: Whitaker, Maser, and Pedersen, 1979b. 53: 268-273.
on rodents: Maser and Whitaker, 1980. 54: 279-280.
on shrews: Whitaker, Tieben, and Maser, 1980. 54: 26 29.
on voles: Whitaker and Maser, 1979. 53: 224-227.
see also arachnids; chiggers.

moles
food and ectoparasites: Whitaker, Maser, and Pedersen, 1979b. 53: 268-273.
see also mammals, small.

molluscs
at archeological sites: Lyman, 1980. 54: 121-136.
freeze branding: Richter, 1973. 47: 109-113.

Montana
general, caddisflies: Roemhild, 1982. 56: 8-13.
———, cave geohydrology: Campbell, 1977. 51: 1-12.
———, early geologist: Lewis, 1982. 56: 58-61.

Montana (*continued*)
———, plant inventories: Watson and Lackschewitz, 1980. 54: 106-108.
western, amphibian diets: Miller, 1978. 52: 243-249.
———, fish endoparasites: Mitchell, 1978. 52: 236-242.
———, grand fir forests: Antos and Habeck, 1981. 55: 26-39.
———, talus slope vegetation: McCune, 1977. 51: 198-207.
———, volcanic ash: Nimlos and Zuuring, 1982. 56: 190-198.
see also Bighorn Lake; Bridger Ridge; Canyon Ferry Reservoir; Flathead Lake and River; Gallatin River; Garnet Mountain.

mosses
see bryophytes.

moths
douglas-fir tussock (*Orgyia pseudotsugata*): Edmonds, 1979. 53: 283-288.

Mount Baker, Wa.
plant ecology: Taylor and Douglas, 1978. 52: 35-50.

Mount Ranier, Wa.
glacial erosion: Mills, 1979. 53: 190-199.
hydrogen sulfide fumes: Kiver, Snavely, and Snavely, 1977. 51: 31-35.
modern pollen spectra: Heusser, 1973. 47: 1-8.

Mount St. Helens, Wa.
ash analyses: Smith, Okazaki, and Knowles, 1975. 49: 209-215.
ash and soil: Smith, Owens, and McNeal, 1982. 56: 170-175.
ash in Montana: Nimlos and Zuuring, 1982. 56: 190-198.

Mount Shasta, Ca.
plant inventory: Cooke, 1977a. 51: 71-78.

Mount Wright, Al.
subalpine plants: Sandgren and Noble, 1978. 52: 329-336.

mountain beaver
see aplodontia

mountains
plant patterns on: Daubenmire, 1980. 54: 146-152.
treeless parks on: Daubenmire, 1981. 55: 124-135.
see also Aldrich Mountains; Bridger Ridge; Cascade Mountains; Coast Range; Garnet Mountain; Mount Baker; Mount Ranier; Mount St. Helens; Mount Shasta; Mount Wright; Pinnacle Peak; Siskiyou Mountains; Steens Mountain.

multiple deformation
Kootenay Arc: Mills and Nordstrom, 1973. 47: 185-202.

multivariate analysis
of ruminant habitat use: Hudson, 1977. 51: 101-110.

mycophagy
by small animals: Fogel and Trappe, 1978. 52: 1-31.

Myxosporidia
in fish: Mitchell, 1978. 52: 236-242.

national parks
see Abbott Creek National Area; Crater Lake National Park; Grand Teton National Park; Kenai National Moose Range; Malheur National Wildlife Refuge; Olympic National Park.

National Reactor Testing Station, Id.
vegetation patterns: Harniss and West, 1973. 47: 30-43.

native Americans
freshwater mollusc use: Lyman, 1980. 54: 121-136.
lomatium use: Hunn and French, 1981. 55: 87-94.

nematodes
in coyotes: Foreyt and Foreyt, 1982. 56: 14-16.
see also platyhelminths

Nevada
desert revegetation: Rickard and Sauer, 1982. 56: 41-47.
Great Basin ecology: Vreeland, Lugaski, and Vreeland, 1979. 53: 180-189.

newts
rough-skinned (*Taricha granulosa*), food: White, 1977. 51: 114-118.
———, neotenic: Marangio, 1978. 52: 343-350.
see also amphibians.

Nisqually saltmarsh, Wa.
plants: Burg, Tripp, and Rosenberg, 1980. 54: 222-236.

nitrogen fixation
in bitterbrush: Krebill and Muir, 1974. 48: 266-268.

Nooksack River, Wa.
bald eagles: Stalmaster, Newman, and Hansen, 1979. 53: 126-131.
mercury in sediments: Babcock and Kolby, 1973. 47: 180-184.

nuthatches (*Sitta*)
food habits: Anderson, 1976. 50: 213-221.
see also birds.

oaks (*Quercus*)
Garry (*Q. garryana*): Taylor and Boss, 1975. 49: 49-57.

oil
pollution: Belsky, 1975. 49: 141-146.

Olympic National Park, Wa.
forest fires: Pickford, Fahnestock, and Ottmar, 1980. 54: 92-105.
Hot Springs, ecology: Tison and Kleyn, 1979. 53: 58-62.

opossums (*Didelphis*)
Virginia (*D. marsupialis*), ectoparasites: Hopkins, 1980. 54: 199-201.
see also mammals, small.

Oregon
central, basalt: Lawrence, 1979. 53: 33-42.
———, cottontails: McKay and Verts, 1978. 52: 363-368.
———, foliage nutrients: Will and Youngberg, 1979. 53: 274-276.
———, fossil tortoise: Fry, 1973. 47: 239-249.
———, geochronology: Martin and Rice, 1981. 55: 269-280.
———, lizards: Nussbaum and Diller, 1976. 50: 243-260.
———, squirrels: Costain and Verts, 1982. 56: 230-235.
———, woodrats: Hammer and Maser, 1973. 47: 123-127.
coast, sole nurseries: Laroche and Holton, 1979. 53: 94-96.
eastern, bats: Whitaker, Maser, and Cross, 1981a. 55: 75-77.
———, bats: Whitaker, Maser, and Cross, 1981b. 55: 281-292.
———, bobcats: Toweill, 1982. 56: 310-315.
———, ducks: Jarvis and Furniss, 1978. 52: 292-302.
———, lizards: Whitaker and Maser, 1981. 55: 202-208.
———, plant inventories: Meinke, 1980. 54: 237-243.
———, porcupines: Smith, 1979. 53: 277-282.
———, porcupines: Smith, 1982. 56: 236-240.
———, sage voles: Maser and Strickler, 1978. 52: 276-284.
———, small mammals: Rogers and Hedlund, 1980. 54: 183-186.
general, bird lists: Browning, 1974. 48: 166-171.
———, bird type specimens: Browning, 1979. 53: 132-140.
western, amphibians: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
———, aplodontia: Lovejoy and Black, 1979. 53: 82-89.
———, bats: Whitaker, Maser, and Keller, 1977. 51: 46-55.
———, birds: Rickard and Fitzner, 1978. 52: 61-66.
———, bobcats: Nussbaum and Maser, 1975. 49: 261-266.
———, chipmunks: Maser, 1975. 49: 158-159.
———, conifer growth: Emmingham and Waring, 1973. 47: 88-99.
———, dwarf mistletoe: Tinnin, Paquet, and Knutson, 1976. 50: 1-7.
———, fir seeds: Scurlock, Mitchell, and Ching, 1982. 56: 101-107.
———, forest debris: Beschta, 1979. 53: 71-77.
———, forest pests: Fellin, 1975. 49: 71-86.
———, fossil cetacean: Orr and Faulhaber, 1975. 49: 174-181.
———, lichens and bryophytes: Pike, 1973. 47: 149-158.

Oregon (*continued*)
———, neotenic newts: Marangio, 1978. 52: 343-350.
———, non-forest vegetation: Hickman, 1976. 50: 145-155.
———, nuthatches: Anderson, 1976. 50: 213-221.
———, pheasants: Jarvis and Engbring, 1976. 50: 222-230.
———, Pleistocene forest: Gottesfeld, Swanson, and Gottesfeld, 1981. 55: 157-167.
———, red alder habitat: Henderson, 1978. 52: 156-167.
———, reptiles: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
———, saltmarsh: Hoffnagle, 1980. 54: 68-79.
———, shrews: Hooven, Hoyer, and Storm, 1975. 49: 163-173.
———, shrews: Maser, 1975. 49: 158-159.
———, shrews, Whitaker and Maser, 1976. 50: 102-107.
———, small mammals: Borrecco, Black, and Hooven, 1979. 53: 97-106.
———, small mammals: Hedlund and Rickard, 1976. 50: 172-177.
———, small mammals: Hooven and Black, 1976. 50: 189-208.
———, voles: Gashwiler, 1977. 51: 56-59.
———, watershed vegetation: Hawk, 1979. 53: 200-212.
see also Abbott Creek National Area; Aldrich Mountains; Cascade Mountains; Columbia River; Coos Bay; Crater Lake National Park; Klamath Lake; Lake Euwana; McDonald State Forest; McKenzie River valley; Malheur National Wildlife Refuge; Miller Lake; Siskiyou Mountains; Steens Mountain; Trojan Nuclear Power Station; Wallowa Lake; Willamette valley; Yaquina Bay and estuary.

organochlorine residues
in bats: Henny, Maser, Whitaker, and Kaiser, 1982. 56: 329-337.

ornithology
see birds.

orthoptera
see grasshoppers

ospreys (*Pandion haliaetus*)
distribution: Henny, Dunaway, Mallette, and Koplin, 1978. 52: 261-271.
see also birds.

otoliths
as fish size indicators: Casteel, 1974. 48: 175-179.

owls
in coulee: Knight and Smith, 1982. 56: 303-309.
see also birds.

Padilla Bay, Wa.
recent benthonic foraminifera: Scott, 1974. 48: 211-218.

paleoclimatology
northern California: Casteel and Beaver, 1978. 52: 337-342.

paleoecology
basalt interbed: Barnett and Fisk, 1980. 54: 259-278.
Pleistocene forest: Gottesfeld, Swanson, and Gottesfeld, 1981. 55: 157-167.

paleontology
early paleontologist: Lewis, 1982. 56: 58-61.
see also fossils.

Palouse
soil and plants: Aller, Fosberg, LaZelle, and Falen, 1981. 55: 248-262.

Palouse River, Wa.
fish inventories: Maughan, Edmundson, Farris, and Wallace, 1980. 54: 5-8.

palynology
see pollen studies.

parasites
see ectoparasites; endoparasites.

parks
national: *see* national parks.
treeless subalpine: Daubenmire, 1981. 55: 124-135.

perch (*Perca flavescens*)
temperature tolerance: Blahm and Snyder, 1975. 49: 267-270.
see also fish.

pest control
DDT residues in bats: Henny, Maser, Whitaker, and Kaiser, 1982. 56: 329-337.

pests
see forest pests.

pheasants (*Phasianus colchicus*)
in game farms: Jarvis and Engbring, 1976. 50: 222-230.
see also birds.

phenology
of dogbane and spiraea: Fowler and Tiedemann, 1980. 54: 17-25.
of prairie and subalpine plants: Jackson, 1982. 56: 316-328.
of shrubs: Orme and Leege, 1980. 54: 187-198.
of steppe plants: Sauer and Uresk, 1976. 50: 133-139.
of tundra plants: Fareed and Caldwell, 1975. 49: 17-23.

phosphorus
and lake algae: Perry and Stanford, 1982. 56: 48-52.

photoperiod experiments
on birds: Kemper and Taylor, 1982. 56: 53-57.

physics
crater "polygonalism": Matthees and Daneš, 1974. 48: 205-210.
tachyon detectability: Quigley, 1974. 48: 203-204.

pikas
haypile analyses: Elliott, 1980. 54: 207-209.
see also mammals, small.

Pinaceae
see douglas-firs; firs; hemlocks; pines; spruce.

pines (*Pinus*)
growth and light: Emmingham and Waring, 1973. 47: 88-99.
lodgepole (*P. contorta*), thinning: Gray, 1978. 52: 303-309.
ponderosa (*P. ponderosa*), and fungi: Adams, 1974. 48: 21-28.
———, and fungi: Shaw, 1980. 54: 137-145.
———, history: McNeil and Zobel, 1980. 54: 30-46.

Pinnacle Peak, Wa.
gravity survey: Campbell and Johnson, 1982. 56: 90-100.

pinnipedes
see seals.

pipefish
bay (*Syngnathus leptorhynchus*): Bayer, 1980a. 54: 161-167.
see also fish.

plankton
see diatoms; zooplankton.

plant bibliographies
Washington: Daubenmire, 1977. 51: 111-113.

plant communities
Alaska: del Moral and Watson, 1978. 52: 137-150.
———, Worley, 1973. 47: 20-29.
alpine: Lord and Luckhurst, 1974. 48: 38-51.
alpine tundra: Fareed and Caldwell, 1975. 49: 17-23.
Cascade mountains: Hickman, 1976. 50: 145-155.
——— watershed: Hawk, 1979. 53: 200-212.
and drought: Rickard and Warren, 1981b. 55: 108-112.
forest understory: Wilcox, Brotherson, and Evenson, 1981. 55: 194-201.
on glaciers: Noble, 1978. 52: 351-357.
Great Basin: Vreeland, Lugaski, and Vreeland, 1979. 53: 180-189.
Idaho: Harniss and West, 1973. 47: 30-43.
and invertebrates: Rogers and Woodley, 1978. 52: 100-103.

plant communities (*continued*)
on "knob and kettle" topography: Rickard, 1975a. 49: 147-152.
microtopography: Rickard, Cline, and Gilbert, 1973a. 47: 44-49.
Montana: Weaver and Perry, 1978. 52: 212-219.
Mount Baker: Taylor and Douglas, 1978. 52: 35-50.
Oregon forest: Mitchell and Moir, 1976. 50: 42-58.
Palouse slope: Aller, Fosberg, LaZelle, and Falen, 1981. 55: 248-262.
and plowing: Rickard and Cline, 1980. 54: 216-221.
on prairie: Jackson, 1982. 56: 316-328.
primary production: Rickard and Sauer, 1982. 56: 250-256.
on pumice soils: Will and Youngberg, 1979. 53: 274-276.
on saltmarsh: Burg, Tripp, and Rosenberg, 1980. 54: 222-236.
on sand dunes: Long, Schreiner, and Manuwal, 1979. 53: 170-179.
on slopes: Aller, Fosberg, LaZelle, and Falen, 1981. 55: 248-262.
———: McCune, 1977. 51: 198-207.
———: Rickard and Warren, 1981a. 55: 40-43.
———: Sauer and Rickard, 1979. 53: 5-11.
and soils: Goldin and Nimlos, 1977. 51: 149-160.
species diversity: Long, 1977. 51: 119-130.
from steppe to forest: Daubenmire, 1975c. 49: 122-140.
in subalpine meadows: Jackson, 1982. 56: 316-328.
———: Sandgren and Noble, 1978. 52: 329-336.
on talus slopes: McCune, 1977. 51: 198-207.
and voles: Maser and Strickler, 1978. 52: 276-285.
Washington: Cline, Uresk, and Rickard, 1977. 51: 60-70.
———: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
Wyoming: Sabinske and Knight, 1978. 52: 195-204.
see also alder; bitterbrush-cheatgrass communities; cheatgrass communities; sagebrush; shadscale communities; sheepfescue communities; shrub communities; shrub-steppe communities; steppes.

plant inventories
Alaska: Sandgren and Noble, 1978. 52: 329-336.
California: Cooke, 1977a. 51: 71-78.
Montana: Watson and Lackschewitz, 1980. 54: 106-108.
Oregon: Meinke, 1980. 54: 237-243.
Washington: Douglas, Naas, and Naas, 1973. 47: 105-108.
———: Taylor, Douglas, and Sundquist, 1973. 47: 169-179.
———: Taylor, Naas, Naas, and Douglas, 1978. 52: 220-225.

plant records
Idaho: Johnson and Steele, 1978. 52: 205-211.
Oregon: Meinke, 1980. 54: 237-243.

plant studies
on abandoned fields: Daubenmire, 1975b. 49: 36-48.
biological weed control: Tisdale, 1976. 50: 61-75.
on coal tailings: Nicholson and Bell, 1981. 55: 235-244.
disjunct populations: Selby and Pitt, 1982. 56: 268-275.
on mountain topography: Daubenmire, 1980. 54: 146-152.
nutrient levels: Will and Youngberg, 1979. 53: 274-276.
primary production: Hoffnagle, 1980. 54: 68-79.
on treeless parks: Daubenmire, 1981. 55: 124-135.

platyhelminths
in coyotes: Foreyt and Foreyt, 1982. 56: 14-16.
trematodes: Lang, Dronen, Rachford, and Gleason, 1974. 48: 125-131.
triclads: Nixon, 1978. 52: 51-56.

plowing
and cheatgrass communities: Rickard and Cline, 1980. 54: 216-221.

pollen studies
basalt interbed: Barnett and Fisk, 1980. 54: 259-278.
Columbia basin: Mack and Bryant, 1974. 48: 183-194.
Lake Washington: Davis, 1973. 47: 133-148.
Mount Ranier: Heusser, 1973. 47: 1-8.
Wildcat Lake: Davis, Kolva, and Mehringer, 1977. 51: 13-30.

pollution
air, and lichens: Johnson, 1979. 53: 257-263.
lake, heavy metals: Rabe and Bauer, 1977. 51: 183-197.
———, mercury: Larson, 1977. 51: 131-137.

———, sewage: Bauman and Soltero, 1978. 52: 127-136.
———, sewage and fungi: Cooke, 1977b. 51: 172-182.
marine, mercury: Rasmussen and Williams, 1975. 49: 87-94.
river, sewage: Williams and Soltero, 1978. 52: 186-194.
———, sewage and mine waste: Savage and Rabe, 1973. 47: 159-168.
soil, oil spill: Belsky, 1975. 49: 141-146.
see also radioactive waste disposal.

Polygonaceae
see eriogonum.

polygonalism
in experimental craters: Matthees and Daneš, 1974. 48: 205-210.

polymorphism
in gumweed: McDonough, 1975. 49: 190-200.

porcupines (*Erethizon dorsatum*)
habitat use: Smith, 1982. 56: 236-240.
range in Oregon: Smith, 1979. 53: 277-282.
see also rodents.

precipitation
in Columbia basin: Helvey and Fowler, 1982. 56: 27-33.
and mice: Dunigan, Lei, and Rickard, 1980. 54: 289-295.
and plant phenology: Sauer and Uresk, 1976. 50: 133-139.
see also climate; drought.

Puget Sound
fish near reef: Patten, 1981. 55: 136-144.
fish temperature tolerance: Ames, Hughes, and Slusser, 1978. 52: 285-291.
rosethorn rockfish: Washington, 1977. 51: 216-218.

Pullman-Moscow basin
uranium in ground water: Ichimura and Crosby, 1981. 55: 10-22.

rabbits
cottontails (*Sylvilagus floridanus*): Sullins, McKay, and Verts, 1976. 50: 17-22.
———, Nuttall's (*S. nuttallii*): McKay and Verts, 1978. 52: 363-368.
feral (*Oryctolagus cuniculus*): Hall, 1977. 51: 292-297.
see also mammals, small.

raccoons (*Procyon lotor*)
taste conditioning: Nicolaus, Hoffman, and Gustavson, 1982. 56: 165-169.

radiation
and fish growth: Edmundson, 1976. 50: 183-188.

radioactive waste disposal
darkling beetles near: Rogers and Fitzner, 1980. 54: 202-206.
pocket mice near: Hedlund and Rogers, 1980. 54: 153-159.
see also Hanford Reservation; pollution.

rainfall
see precipitation.

rats
see woodrats.

reptiles
Oregon: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
Washington: Harris, 1976. 50: 114-121.
see also lizards; snakes; tortoises.

reservoirs
see lakes.

Rhamnaceae
see ceanothus.

rivers
fish temperature tolerance: Blahm and Snyder, 1975. 49: 267-270.
food web trace elements: Cushing, 1979. 53: 118-125.

rivers (*continued*)
microcrustaceans: Harris, 1979. 53: 63-70.
pathogenic bacteria: Bacon, 1982. 56: 136-137.
pollution, sewage: Williams and Soltero, 1978. 52: 186-194.
———, sewage and mine waste: Savage and Rabe, 1973. 47: 159-168.
suspended solids: Klages, Logan, and Hsieh, 1973. 47: 203-212.
see also Big Lost River; Clearwater River; Coeur d'Alene River; Columbia River; Deschutes River; Gallatin River; Hangman Creek; Logan River; Nooksack River; Palouse River; Salmon River; Snake River; Spokane River; streams; Teton River.

robins
American (*Turdus migratorius*): Kemper and Taylor, 1982. 56: 53-57.
see also birds.

rockfish
rosethorn (*Sebastes helvomaculatus*): Washington, 1977. 51: 216-218.
see also fish.

rodents
and antitranspirants: Johnson, 1976b. 50: 156-159.
double captures: Feldhamer, 1977. 51: 91-93.
ectoparasites: Maser and Whitaker, 1980. 54: 279-280.
see also aplodontia; chipmunks; mice; porcupines; squirrels; voles; woodrats.

root-rot
Armillaria mellea in pines: Adams, 1974. 48: 21-28.
———: Shaw, 1980. 54: 137-145.
Phellinus weirii in conifers: Hutchins and Li, 1981. 55: 219-224.
———: Nelson and Fay, 1975. 49: 119-121.

roots
nodules, endophytes: Krebill and Muir, 1974. 48: 266-268.
suckering in aspen: Zasada and Schier, 1973. 47: 100-104.

Rosaceae
see bitterbrush; spiraea.

roundworms
see nematodes.

ruminants
habitat use: Hudson, 1977. 51: 101-110.
see also caribou; deer; elk; sheep.

sagebrush (*Artemisia*)
communities, birds and grazing: Reynolds and Trost, 1981. 55: 225-234.
———, mice and fire: Halford, 1981. 55: 44-49.
———, Washington: Cline, Uresk, and Rickard, 1977. 51: 60-70.
———, and water: Everett, Meewig, Tueller, and Evans, 1977. 51: 271-281.
———, Wyoming: Sabinske and Knight, 1978. 52: 195-204.
distribution (*A. rigida*): Daubenmire, 1982. 56: 162-164.
ecology (*A. tridentata*): Daubenmire, 1975a. 49: 24-35.
-grass communities, Idaho: Harniss and West, 1973. 47: 30-43.
growth (*A. tridentata*): Manuwal, 1977. 51: 94-100.
seed dormancy (*A. tridentata*): McDonough and Harniss, 1974. 48: 17-20.
and soil nitrogen gradients: Wikeem and Pitt, 1982. 56: 276-286.
see also plant communities.

St. Johnswort (*Hypericum perforatum*)
biological control: Tisdale, 1976. 50: 61-75.

salamanders
Pacific giant (*Dicamptodon ensatus*): Nussbaum and Clothier, 1979. 47: 218-227.
see also amphibians.

Salicaceae
see aspen.

salmon (*Oncorhynchus*)
chinook (*O. tshawytscha*), albino: Dauble, Gray, Hanf, and Poston, 1978. 52: 108-109.
———, diet: Dauble, Gray, and Page, 1980. 54: 253-258.
and logging: Pella and Myren, 1974. 48: 132-144.
otoliths as size indicators: Casteel, 1974. 48: 175-179.

pink (*O. gorbuscha*): Basham and Gilbreath, 1978. 52: 32-34.
see also fish.

Salmon River, Id.
sculpins: Primbs, 1979. 53: 18-21.

saltmarshes
plant productivity: Burg, Tripp, and Rosenberg, 1980. 54: 222-236.
———: Hoffnagle, 1980. 54: 68-79.

Samish Bay, Wa.
recent benthonic foraminifera: Scott, 1974. 48: 211-218.

sampling
and polar coordinates: Mitchell and Hatch, 1981. 55: 168-173.

San Juan Island, Wa.
feral rabbits: Hall, 1977. 51: 293-297.

sand dunes
and vegetation: Long, Schreiner, and Manuwal, 1979. 53: 170-179.

Saussurea
in Montana: Watson and Lackschewitz, 1980. 54: 106-108.

scales
of freshwater fish: Casteel, 1973. 47: 230-238.
in paleoclimatology: Casteel and Beaver, 1978. 52: 337-342.

sculpins (*Cottus*)
C. tubulatus: Maughan, 1974. 48: 105-106.
in Salmon River: Primbs, 1979. 53: 18-21.
shorthead (*C. confusus*), Big Lost River: Gasser, Cannamela, and Johnson, 1981. 55: 174-181.
———, Deschutes River: Bisson, 1977. 51: 43-45.
see also fish.

seals
Pacific harbor (*Phoca vitulina*): Everitt and Braham, 1980. 54: 281-288.

Seattle, Wa.
lichens and pollution: Johnson, 1979. 53: 257-263.

seedlings
foliar nutrients: Falkenhagen, 1976. 50: 209-212.
frost resistance: Minore and Smart, 1978. 52: 179-185.
———: Seidel, 1974. 48: 195-202.
mercury uptake: Landa, 1978. 52: 358-362.

seeds
dormancy: McDonough and Harniss, 1974. 48: 17-20.
noble fir: Scurlock, Mitchell, and Ching, 1982. 56: 101-107.

Selkirk Mountains, B.C., Id., and Wa.
grizzly bears: Layser, 1978. 52: 77-91.

Selway-Bitterroot Wilderness, Id.
western red cedar communities: Habeck, 1978. 52: 67-76.

sewage
see pollution.

shadscale communities (*Atriplex confertifolia*)
water potential: Everett, Meewig, Tueller, and Evans, 1977. 51: 271-281.
see also plant communities.

sheep (*Ovis*)
stone (*O. dalli*), habitat: Lord and Luckhurst, 1974. 48: 38-51.
see also ruminants.

sheepfescue communities (*Festuca ovina*)
and sage voles: Maser and Strickler, 1978. 52: 276-284.
see also plant communities.

Sherman Glacier, Al.
vegetation: Noble, 1978. 52: 351-357.

shrews (*Sorex*)
ectoparasites: Whitaker, Tieben, and Maser, 1980. 54: 26-29.
food habits: Whitaker and Maser, 1976. 50: 102-107.
marsh (*S. bendirii*): Maser, 1975. 49: 158-159.
pacific (*S. pacificus*): Maser and Hooven, 1974. 48: 81-95.
vagrant (*S. vagrans*): Hooven, Hoyer, and Storm, 1975. 49: 163-173.
in Wyoming: Clark, 1973. 47: 128-131.
see also mammals, small.

shrimps (*Crangon*)
Yaquina Bay: Krygier and Horton, 1975. 49: 216-240.
see also crabs, zooplankton.

shrub communities
and drought: Rickard and Warren, 1981b. 55: 108-112.
phenology: Orme and Leege, 1980. 54: 187-198.
regrowth after fire: Owens, 1982. 56: 34-40.
soil under halophytes: Rickard, Cline, and Gilbert, 1973b. 47: 213-217.
succession: Wittinger, Pengelly, Irwin, and Peek, 1977. 51: 161-171.
see also plant communities.

shrub-steppe communities
slope vegetation: Sauer and Rickard, 1979. 53: 5-11.
and small mammals: Rogers and Hedlund, 1980. 54: 183-186.
see also plant communities.

Siegfriedt, Dr. J. C. F. (1879-1940)
paleontologist: Lewis, 1982. 56: 58-61.

Siphonaptera
see fleas.

Siskiyou Mountains, Or.
conifer growth: Emmingham and Waring, 1973. 47: 88-99.

size estimation
fish: Casteel, 1974. 48: 175-179.

skunks
spotted (*Spilogale putorius*), and traps: Hooven, Black, and Lowrie, 1979. 53: 79-81.
see also mammals; mammals, small.

slopes
vegetation: Rickard and Warren, 1981a. 55: 40-43.
———: Sauer and Rickard, 1979. 53: 5-11.
———, Palouse: Aller, Fosburg, LaZelle, and Falen, 1981. 55: 248-262.
———, talus: McCune, 1977. 51: 198-207.

slugs
freeze-branding: Richter, 1973. 47: 109-113.

small mammals
see mammals, small.

Snake River
canyon geology: White, 1974. 48: 72-79.
dam impoundment and animals: Lewke and Buss, 1977. 51: 219-270.
microcrustaceans: Harris, 1979. 53: 63-70.
pink salmon: Basham and Gilbreath, 1978. 52: 32-34.
volcanoes on plain: Karlo, Jorgenson, and Shineldecker, 1980. 54: 178-182.

snakes
gopher (*Pituophis melanoleucus*): Kardong, 1980. 54: 1-4.
mimicry: Kardong, 1980. 54: 1-4.
Oregon, survey: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
rattle (*Crotalus viridis*): Kardong, 1980. 54: 1-4.
rubber boa (*Charina bottae*): Nussbaum and Hoyer, 1974. 48: 219-229.
Yakawawa canyon: Harris, 1976. 50: 114-121.
see also reptiles.

soils
alpine: Lord and Luckhurst, 1974. 48: 38-51.
bacteria: Hutchins and Li, 1981. 55: 219-224.
forest, Alaska: Grigal, 1979. 53: 43-50.
———, under douglas-fir: Vogt and Edmonds, 1982. 56: 83-89.
———, moisture: Bethlahmy, 1976. 50: 140-144.
———, nitrogen: Johnson, 1979. 53: 22-32.
———, water repellency: DeByle, 1973. 47: 77-87.
fungi: Cooke, 1977b. 51: 172-182.
under halophytes: Cline and Rickard, 1974. 48: 235-238.
———: Rickard, Cline, and Gilbert, 1973b. 47: 213-217.
Palouse slopes: Aller, Fosberg, LaZelle, and Falen, 1981. 55: 248-262.
pumice nutrients: Will and Youngberg, 1979. 53: 274-276.
under sagebrush: Cline, Uresk, and Rickard, 1977. 51: 60-70.
———: Wikeem and Pitt, 1982. 56: 276-286.
vegetation patterns: Goldin and Nimlos, 1977. 51: 149-160.
and volcanic ash: Smith, Owens, and McNeal, 1982. 56: 170-175.

sole (fish)
English (*Parophyrys vetulus*): Laroche and Holtor, 1979. 53: 94-96.
temperature tolerance: Ames, Hughes, and Slusser, 1978. 52: 285-291.
see also fish.

speed
of coyotes: Thompson, 1976. 50: 181-182.

spiders
in landfill: Crawford, 1979. 53: 51-53.

spiraea
phenology (*S. betulifolia*): Fowler and Tiedemann, 1980. 54: 17-25.

Spokane River and drainage, Wa.
bacteria: Bacon, 1982. 56: 136-137.
sewage: Williams and Soltero, 1978. 52: 186-194.

springs
hot, microbial ecology: Tison and Kleyn, 1979. 53: 58-62.

spruce (*Picea*)
seedling nutrients (*P. sitchensis*): Falkenhagen, 1976. 50: 209-212.

squawfish
northern (*Ptychocheilus oregonensis*): Bentley and Dawley, 1981. 55: 50-61.
see also fish.

squirrels
Belding's ground (*Spermophilus beldingi*): Costain and Verts, 1982. 56: 230-235.
Uinta ground (*S. armatus*): Clark and Russell, 1977. 51: 36-42.
see also mammals, small; rodents.

statistics
random sampling: Mitchell and Hatch, 1981. 55: 168-173.
ruminant habitat analysis: Hudson, 1977. 51: 101-110.

Steens Mountain, Or.
sage voles: Maser and Strickler, 1978. 52: 276-284.

steppes
plant phenology: Sauer and Uresk, 1976. 50: 133-139.
plant succession: Daubenmire, 1975b. 49: 36-48.
plants and droughts: Rickard and Warren, 1981b. 55: 108-112.
steppe-forest catena: Daubenmire, 1975c. 49: 122-140.
vegetation: Rickard, 1975a. 49: 147-152.
see also plant communities.

sticklebacks (*Gasterosteus aculeatus*)
temperature tolerance: Blahm and Snyder, 1975. 49: 267-270.
see also fish.

Stikine Flats, Al.
plant communities: del Moral and Watson, 1978. 52: 137-150.

streams
flow and deforestation: Bethlahmy, 1975. 49: 95-105.
flow studies and debris: Beschta, 1979. 53: 71-77.
see also rivers.

stress
and trout: Schneider, Connors, Genoway, and Barraclough, 1981. 55: 62-69.

succession
on abandoned fields: Daubenmire, 1975b. 49: 36-48.
in alder habitats: Henderson, 1978. 52: 156-167.
on alluvial land: Hawk and Zobel, 1974. 48: 245-265.
in grand fir forests: Antos and Habeck, 1981. 55: 26-39.
after logging: Wittinger, Pengelly, Irwin, and Peek, 1977. 51: 161-171.

sulfate minerals
in volcanoes: Karlo, Jorgenson, and Shineldecker, 1980. 54: 178-182.

swallows
Riparia riparia, fleas: Haas, Rumfelt, and Wilson, 1980. 54: 210-215.
see also birds.

sweet corn (*Zea mays saccharata*)
and fertilizer: Baker and Mortensen, 1973. 47: 61-65.

tachyons
detectability: Quigley, 1974. 48: 203-204.

tagging
deer fawns' ears: Hedlund, 1975. 49: 153-157.
see also branding.

temperature
coyote adaptation: Ogle and Farris, 1973. 47: 70-74.
and fish: Schneider, Connors, Genoway, and Barraclough, 1981. 55: 62-69.
and fish growth: Edmundson, 1976. 50: 183-188.
fish tolerance: Ames, Hughes, and Slusser, 1978. 52: 285-291.
———: Blahm and Snyder, 1975. 49: 267-270.
and fungal growth: Nelson and Fay, 1975. 49: 119-121.
in Holocene: Casteel and Beaver, 1978. 52: 337-342.
hot springs ecology: Tison and Kleyn, 1979. 53: 58-62.
and intertidal insect: Stock, 1980. 54: 168-177.
seedling tolerance: Minore and Smart, 1978. 52: 179-185.
———: Seidel, 1974. 48: 195-202.

terns
Sterna, Upper Columbia River: Thompson and Tabor, 1981. 55: 209-218.
see also birds.

Teton River
whitefish: Overton, Grove, and Johnson, 1978. 52: 226-232.

thinning
and pines: Gary, 1978. 52: 303-309.
see also forests; logging.

thrust plates
North Cascades: Miller, 1979. 53: 229-241.

ticks
on Virginia opossums: Hopkins, 1980. 54: 199-201.

tides
and intertidal insect: Stock, 1980. 54: 168-177.

tissue analysis
for heavy metals: Kendall and Scanlon, 1982. 56: 261-267.

toads
Bufo boreas, diet: Miller, 1978. 52: 243-249.
see also amphibians.

topography
and annuals: Rickard, Cline, and Gilbert, 1973a. 47: 44-49.
"knob and kettle" vegetation: Rickard, 1975a. 49: 147-152.
and mice: Hedlund, McCullugh, and Rickard, 1975. 49: 253-260.
and mountain vegetation. Daubenmire, 1980. 54: 146-152.

tortoises
giant fossil (*Geochelone*): Fry, 1973. 47: 239-249.
see also reptiles.

trace elements
in food webs: Cushing, 1979. 53: 118-125.

tracking
of small nocturnal mammals: Fisher and Cross, 1979. 53: 90-93.

transportation
and energy conservation: Dickinson, 1974. 48: 145-165.

traps
for beetles: Rickard, Cline, and Gilbert, 1974. 48: 96-101.
double rodent captures: Feldhamer, 1977. 51: 91-93.
and skunk disturbance: Hooven, Black, and Lowrie, 1979. 53: 79-81.
for small mammals: Evans, 1975. 49: 160-162.
———: Nellis, Terry, and Taber, 1974b. 48: 102-104.

trematodes
see platyhelminths

Trichoptera
in Montana: Roemhild, 1982. 56: 8-13.

Trojan Nuclear Power Station, Or.
bird survey: Rickard and Fitzner, 1978. 52: 61-66.
forest litter: Rickard, 1975b. 49: 183-189.
herpetological survey: Fitzner, Rickard, and Clark, 1978. 52: 104-107.
small mammal survey: Hedlund and Rickard, 1976. 50: 172-177.

trout (*Salmo*)
cutthroat (*S. clarki*), migration: Bernard and Israelsen, 1982. 56: 148-158.
rainbow (*S. gairdneri*), growth: Edmundson, 1976. 50: 183-188.
———, stress: Schneider, Connors, Genoway, and Barraclough, 1981. 55: 62-69.
see also fish.

tubesnout
Aulorhynchus flavidus, size and age: Bayer, 1980b. 54: 306-310.
see also fish.

tundra
plant populations: Fareed and Caldwell, 1975. 49: 17-23.

turbellarians
see platyhelminths

Umbelliferae
see lomatium.

uranium
in ground water: Ichimura and Crosby, 1981. 55: 10-22.

urea
as forest fertilizer: Postovit, 1976. 50: 87-96.
and forest soils: Johnson, 1979. 53: 22-32.

Utah
plant communities: Wilcox, Brotherson, and Evenson, 1981. 55: 194-201.
see also Logan River.

vegetation
see plants.

vertebrates
original habitat hypothesis: Guthrie, 1978. 52: 171-178.
see also amphibians; birds; fish; mammals; reptiles.

volcanoes
ash, analysis: Smith, Okazaki, and Knowles, 1975. 49: 209-215.
———, in Montana: Nimlos and Zuuring, 1982. 56: 190-198.
———, and soil: Smith, Owens, and McNeal, 1982. 56: 170-175.
and hydrogen sulfide: Kiver, Snavely, and Snavely, 1977. 51: 31-35.
and minerals: Karlo, Jorgenson, and Shineldecker, 1980. 54: 178-182.

voles
California red-backed (*Clethrionomys californicus*): Gashwiler, 1977. 51: 56-59.
ectoparasitic mites: Whitaker and Maser, 1979. 53: 224-227.
Oregon creeping (*Microtus oregoni*): Hooven, 1973. 47: 256-264.
sage (*Lagurus curtatus*): Maser and Strickler, 1978. 52: 276-284.
white-faced (*Phenacomys albipes*): Johnson and Maser, 1982. 56: 17-19.
see also mammals, small; rodents.

volume-age function
forestry: Nokoe and Kozak, 1979. 53: 12-17.

Wallowa Lake, Or.
oligotrophy: Larson, 1981. 55: 95-107.

Washington
central, balsam-root: Rickard, Klepper, Sauer, and Thorp, 1978. 52: 110-118.
———, birds of prey: Knight and Smith, 1982. 56: 303-309.
———, desert revegetation: Rickard and Sauer, 1982. 56: 41-47.
———, eriogonum: Rickard, Klepper, Sauer, and Thorp, 1978. 52: 110-118.
———, geology: Gresens, 1982a. 56: 218-229.
———, geology: Gresens, 1982b. 56: 259-264.
———, geophysical survey: Koníček, 1975. 49: 106-117.
———, invertebrates: Rogers and Woodley, 1978. 52: 100-103.
———, mice: Hedlund, McCullugh, and Rickard, 1975. 49: 253-260.
———, mule deer: Uresk and Uresk, 1982. 56: 138-147.
———, mule deer fawn tagging: Hedlund, 1975. 49: 153-157.
———, paleoecology: Barnett and Fisk, 1980. 54: 259-278.
———, plant communities: Rickard, 1975a. 49: 147-152.
———, pocket mice: Dunigan, Lei, and Rickard, 1980. 54: 289-295.
———, resources: Rickard, Hanson, and Fitzner, 1982. 56: 62-76.
———, shrub-steppe vegetation: Sauer and Rickard, 1979. 53: 5-11.
———, steppe plant phenology: Sauer and Uresk, 1976. 50: 133-139.
———, steppe vegetation: Rickard, 1975a. 49: 147-152.
eastern, amphibians: Harris, 1976. 50: 114-121.
———, bald eagles: Stalmaster, Newman, and Hansen, 1979. 53: 126-131.
———, chiggers: Bacon, 1981. 55: 304.
———, coots: Fitzner, Sipco, and Schreckhise, 1980. 54: 244-252.
———, drainage: Kehew, 1979. 53: 242-250.
———, forests: Schroeder, McCandlish, Waring, and Perry, 1982. 56: 121-130.
———, geology: Mills and Nordstrom, 1973. 47: 185-202.
———, geology: Thole and Mills, 1979. 53: 141-156.
———, geology: Watkinson and Bressler, 1979. 53: 1-4.
———, gravity surveys: Yost and Steele, 1978. 52: 250-260.
———, grizzly bears: Layser, 1978. 52: 77-91.
———, ground water: Ichimura and Crosby, 1981. 55: 10-22.
———, pathogenic bacteria: Bacon, 1982. 56: 136-137.
———, plant succession: Daubenmire, 1975b. 49: 36-48.
———, reptiles: Harris, 1976. 50: 114-121.
———, sagebrush distribution: Daubenmire, 1982. 56: 162-164.
———, treeless parks: Daubenmire, 1981. 55: 124-136.
———, wheatgrass flowering: Daubenmire, 1978. 52: 53-55.
general, ectoproct list: McCain and Ross, 1974. 48: 9-16.
———, freshwater triclads: Nixon, 1978. 52: 51-56.
———, oaks: Taylor and Boss, 1975. 49: 49-57.
———, plant bibliography: Daubenmire, 1977. 51: 111-113.
———, plant inventory: Douglas, Naas and Naas, 1973. 47: 105-108.
———, plant inventory: Taylor, Douglas, and Sundquist, 1973. 47: 169-179.
———, plant inventory: Taylor, Naas, Naas, and Douglas, 1978. 52: 220-225.
———, sagebrush ecology: Daubenmire, 1975a. 49. 24-35.
western, cervid foraging: Hanley, 1982. 56: 208-217.
———, frogs: Brown, 1975. 49: 241-252.
———, geology: Miller, 1979. 53:229-241.
———, geophysical survey: Campbell and Johnson, 1982. 56: 90-100.

———, glaciers: Mills, 1979. 53: 190-199.
———, golden chinquapin: Kruckeberg, 1980. 54: 9-16.
———, lichens: Johnson, 1979. 53: 257-263.
———, plant communities: Jackson, 1982. 56: 316-328.
———, saltmarshes: Burg, Tripp, and Rosenberg, 1980. 54: 222-236.
———, subspecies: Nellis, Fairbanks, Terry, and Taber, 1974a. 48: 66-71.
see also Arid Lands Ecology Reserve; Baker valley; Bellingham Bay; Blake Island Marine State Park; Cascade Mountains; Coast Range; Columbia basin; Columbia River; Deadhorse Cave; Deschutes River; Enumclaw; Hanford Reservation; Hangman Creek; Juan de Fuca Strait; Kootenay Arc; Lake Sammamish; Lake Washington; Lewiston basin; Long Island; Long Lake; Lower Granite Dam; Medical Lake; Mount Baker; Mount Ranier; Mount St. Helens; Nisqually saltmarsh; Nooksack River; Olympic National Park; Padilla Bay; Palouse River; Pinnacle Peak; Puget Sound; Pullman-Moscow basin; Samish Bay; San Juan Island; Seattle; Selkirk Mountains; Snake River; Spokane River; Wildcat Lake; Yakawawa canyon.

waste disposal
see pollution; radioactive waste disposal.

water potential
plant communities: Everett, Meewig, Tueller, and Evans, 1977. 51: 271-281.

water supplies
and forest litter: Reynolds and Knight, 1973. 47: 50-60.
and uranium: Ichimura and Crosby, 1981. 55: 10-22.
and watersheds: Bethlahmy, 1974. 48: 1-8.

watersheds
management: Bethlahmy, 1974. 48: 1-8.
plant communities: Hawk, 1979. 53: 200-212.
and timber: Bethlahmy, 1975. 49: 95-105.

weeds
biological control: Tisdale, 1976. 50: 61-75.

weight scaling operations
Nokoe and Kozak, 1981. 55: 263-268.

whales
see cetaceans.

wheatgrass (*Agropyron*)
community, birds and grazing: Reynolds and Trost, 1981. 55: 225-234.
flowering (*A. spicatum*): Daubenmire, 1978. 52: 153-155.
mercury uptake (*A. smithii*): Landa, 1978. 52. 358-362.

whitefish
Rocky mountain (*Prosopium williamsoni*): Overton, Grove, and Johnson, 1978. 52: 226-232.
see also fish.

Wildcat Lake, Wa.
pollen studies: Davis, Kolva, and Mehringer, 1977. 51: 13-30.

Willamette valley, Or.
forest lichens and bryophytes: Pike, 1973. 47: 149-158.
shrews: Hooven, Hoyer, and Storm, 1975. 49: 163-173.

wolverines (*Gulo gulo*)
Wyoming: Hoak, Weaver, and Clark, 1982. 56: 159-161.

woodrats (*Neotoma*)
dusky-footed (*N. fuscipes*): Hammer and Maser, 1973. 47: 123-127.
see also mammals, small; rodents.

Wyoming
bald eagles: Davenport and Weaver, 1982. 56: 79-82.
black-footed ferrets: Clark, 1980. 54: 47-54.
forests and litter: Reynolds and Knight, 1973. 47: 50-60.
mammal bibliography: Clark, Saab, and Casey, 1980. 54: 55-67.
mammals, journal articles: Casey and Clark, 1978. 52: 272-275.
wolverines: Hoak, Weaver, and Clark, 1982. 56: 159-161.
see also Grand Teton National Park; Jackson Hole.

Yakawawa Canyon, Wa.
reptiles and amphibians: Harris, 1976. 50: 114-121.

Yaquina Bay and estuary, Or.
crabs: Batie, 1982a. 56: 20-26.
———: Batie, 1982b. 56: 241-249.
intertidal fish: Bayer, 1981. 55: 182-193.
pipefish: Bayer, 1980a. 54: 161-167.
shrimps: Krygier and Horton, 1975. 49: 216-240.
tubesnout: Bayer, 1980b. 54: 306-310.

zooplankton
Lower Snake River drainage: Harris, 1979. 53: 63-70.
predation on: Anderson, 1981. 55: 113-123.
in reservoirs: Graham, Soltero, and Gasperino, 1979. 53: 159-169.
in salmon diet: Dauble, Gray, and Page, 1980. 54: 253-258.

M

L

7

S

73

32

I


0 5E2
1 3E5
2 235
3 E28
4 283
5 5E2
6 3D5
7 8E8